

| Stk No | Part Description | Qty | Sub Inventory |
|--------|-------------------------------------------------------------------------------------|-----|---------------|
| 2626 | Thyristors, SKT300/08D | 18 | Electrical |
| 2635 | Bulb 110VDC, 20mA | 40 | Electrical |
| 2629 | Semiconductor fuse, 250A, 700V, 80KA Bussman | 8 | Electrical |
| 2647 | Thyristors diode module, SKKH57/12E | 12 | Electrical |
| 4150 | Hydraulic motor for the crane slew drive of gangway tower (Not in Use ..."Canceled | 1 | Electrical |
| 4172 | Relief valve PN P-0300812-21 for gangway tower (Not in Use ..."Canceled by Mecha | 1 | Electrical |
| 4173 | Check valve PN P-0300812-6 for gangway tower (Not in Use ..."Canceled by Mechar | 1 | Electrical |
| 4174 | Ball valve PN P-0300812-12 for gangway tower (Not in Use ..."Canceled by Mechan | 1 | Electrical |
| 4175 | Velocity valve PN P-0300812-16 for gangway tower (Not in Use ..."Canceled by Mec | 1 | Electrical |
| 4177 | Ship shore umbilical ESD cable 2 pair for ship shore communication link (Not in Use | 1 | Electrical |
| 6975 | TRAIN VIEWPCBASIC SOFTWARE*SOS01817 PN/IRR5879702 | 6 | Instrument |
| 533 | Adapter Module PLC 5, CAT: 1771-ASB, MFG. Allen-bradley, Used for F&G System (f | 2 | Instrument |
| 1011 | Valve Connecting Bracket & Linkage, Model: 17280/TOGGLES & ROD, MFR. Maxon, | 4 | Instrument |
| 1019 | Pneumatic Actuator / Positioner, Model: 861R1-A-1-1-AAA-00, MFR. DEZURIK, for F | 3 | Instrument |
| 1020 | Fuel Gas Control Valve, Model: M2, MFR. MAXON, for Regen Gas Heaters (Not in Us | 2 | Instrument |
| 1023 | Low Fire Start Switch, 1/4" NPT, 220 VAC, RANG 1.2 - 5 mBarg, Model: 1823-2, MFR | 5 | Instrument |
| 1027 | Actuator Speed Control Valve, Tag: FCV-3, Model: F20SSK, MFR. Deltrol, for Regen a | 4 | Instrument |
| 1034 | Fuel Gas Control Valve, Model: M2-1/2, MFR. Maxon, for Hot Oil Heaters (Not in Us | 2 | Instrument |
| 2868 | PCB, ADS02, A/D converter board- P/N: 43002510 -manufacturer: Emerson used fo | 2 | Instrument |
| 3460 | PRESSURE SWITCH, PART NO. 1089-0575-51 Z91-0 (Not in Use ..."Canceled by Instru | 1 | Instrument |
| 3461 | PRESSURE SENSOR, 1089-0575-73 Z91-0- (Not in Use ..."Canceled by Instrumentatlc | 1 | Instrument |
| 3462 | TEMP SENSOR, PART NO.1089-0574-40 Z91-00- (Not in Use ..."Canceled by Instrum | 1 | Instrument |
| 3463 | SOLENOID VALVE, PART NO. 1089-0380-19 Z91-000 (Not in Use ..."Canceled by Inst | 1 | Instrument |
| 3465 | PRESSURE SWITCH, PART NO. 1091-0394-01 Z91-0000 (Not in Use ..."Canceled by Ir | 1 | Instrument |
| 3466 | PRESSURE SWITCH, PART NO. 1089-0606-02 Z91-1089-0606-02 (Not in Use ..."Canc | 1 | Instrument |
| 3467 | TEMP SWITCH, PART NO. 1089-0376-64 Z91-1089-0376-64 (Not in Use ..."Canceled | 2 | Instrument |
| 3468 | HOSE ASSY, PART NO. 0574-8232-06 Z91-0574-8332-06 (Not in Use ..."Canceled by | 2 | Instrument |
| 3814 | ELECTRONIC REGULATOR, Mfr. Atlas copco, P/N: 1900 0701 25 (Not in Use ..."Canc | 2 | Instrument |
| 3834 | PRESSURE CONTROL - PART NO. 1619-2793-01 Z91-1619-2793-01 (Not in Use ..."Ca | 1 | Instrument |
| 4544 | FLOW/FLOWMETER.for Portable gas detector, CO3001, Model: Triple Plus, Mfr.: Cro | 3 | Instrument |
| 4545 | 0-100% LEL METHANE SENSOR, S011424, for Portable gas detector, Model: TETRA, | 3 | Instrument |
| 4546 | S011423, 0-25% OXYGEN SENSOR, S011423, for Portable gas detector, Model: TETR | 2 | Instrument |
| 4547 | 0-500 PPM CO SENSOR,S011422, for Portable gas detector, Model: TETRA, Mfr.: Cr | 2 | Instrument |
| 4548 | 0-50 PPM H2S SENSOR,S011421, for Portable gas detector, Model: TETRA, Mfr.: Cr | 3 | Instrument |

10/10/16

[Handwritten signature]

[Handwritten signature]

| | | | |
|------|--------------------------------------------------------------------------------------|----|------------|
| 4550 | ASPIRATOR ASSEMBLY FOR PUMPED UNITS, C01847, for Portable gas detector, Mo | 1 | Instrument |
| 4554 | 1 M SAMPLE PROBE, for Portable gas detector, C01097, Model: TETRA, Mfr.: Crowc | 1 | Instrument |
| 4555 | TELESCOPIC ASPIRATOR PROBE, C01757, for Portable gas detector, Model: TETRA, | 1 | Instrument |
| 4556 | C01841, ASPIRATOR PLATE AND GASKET, for Portable gas detector, Model: TETRA, | 1 | Instrument |
| 4566 | TETRA GAS TEST AND CALIBRATION ACCESSORY KIT FOR PUMPED UNITS, C01876, | 2 | Instrument |
| 4886 | Cell cover, P/N:6323546, for portable gas detector Mfr OLDHAM, model BM22 PLU | 2 | Instrument |
| 4887 | Back cover, P/N:6323548, for portable gas detector Mfr OLDHAM, model BM22 PL | 2 | Instrument |
| 4889 | Liquid crystal display panel, P/N:6133530, for portable gas detector Mfr OLDHAM, | 2 | Instrument |
| 4891 | Maintenance plug, P/N:6143493, for portable gas detector Mfr OLDHAM, model Bf | 2 | Instrument |
| 4893 | Connection interface cable, P/N:6315810, for portable gas detector Mfr OLDHAM, | 2 | Instrument |
| 4894 | Gas input pipe (included in P/N 6331097), for portable gas detector Mfr OLDHAM, | 2 | Instrument |
| 4895 | Sampling kit with telescopic probe, P/N: 6331113, for portable gas detector Mfr OL | 2 | Instrument |
| 4896 | Handle connector 160CC (included in P/N 6331113), for portable gas detector Mfr | 2 | Instrument |
| 4897 | Telescopic probe (included in P/N 6331113), mfr.: OLDHAM | 2 | Instrument |
| 4900 | Tool kit, P/N: 6147862, for portable gas detector Mfr OLDHAM, model BM22 PLUS | 2 | Instrument |
| 4901 | Charger CR22, P/N:6511146, for portable gas detector Mfr OLDHAM, model BM22 F | 2 | Instrument |
| 5522 | Cam Spring, for Synchro Valve, Size 2M, Asby# 672328, Rating 12 PSIG. Spare for Hd | 8 | Instrument |
| 5524 | Adjusting Screw, for Synchro Valve, Size 2M, Asby# 672328, Rating 12 PSIG. Spare f | 20 | Instrument |
| 6008 | Hard disk drive, 73GB, SCSI, U320, 10K, 68P, Mfr.: SEGATE model: ST373405LW | 6 | Instrument |
| 6185 | Module filter, P/N: 6335933 for OLDHAM personal gas detector model EX 2000 | 40 | Instrument |
| 7324 | Thermal conductivity Filament, Mfr: MSA, P/N: 74730 for portable gas detector mo | 2 | Instrument |
| 7325 | Detector block assembly, MFR. MSA, P/N: 803761 for portable gas detector, model | 2 | Instrument |
| 7328 | Meter 0-25% butane, Mfr: MSA, P/N: 711259 for portable gas detector modelTanks | 2 | Instrument |
| 7330 | Power supply circuit board, Mfr. MSA, P/N: 711260, for portable gas detector mode | 2 | Instrument |
| 7331 | Potentiometer assembly, Mfr. MSA, P/N: 468429, for portable gas detector modelT | 2 | Instrument |
| 7333 | Cable, 16-pin ribbon, Mfr. MSA, P/N: 465468, for portable gas detector modelTanks | 2 | Instrument |
| 8092 | Sintered filter, stainless steel, order code: 164525P for dewpoint transmitter model | 3 | Instrument |
| 8093 | DryCAP S dewpoint sensor, order code: DRYCAPS for dewpoint transmitter modelD | 4 | Instrument |
| 8094 | Sampling cell with Swagelock connector, Mfr.: Vaisala, P/N: DMT242SC2, used for: / | 2 | Instrument |
| 8096 | Alarm output unit, P/N: DMP240ALSP for dewpoint transmitter modelDMP248A1B0 | 2 | Instrument |
| 8097 | Fuse 8A for alarm output unit, P/N: 17143, for dewpoint transmitter modelDMP248 | 8 | Instrument |
| 8375 | Safety component PCB, P/N: S011301/2, used for portable gas detector , Model tri | 2 | Instrument |
| 8376 | Sounder, P/N:S01130112, used for portable gas detector , Model triple plus S/N:25 | 2 | Instrument |
| 8756 | Super omega clad XLThermocouple probe with industrial head, Calibration K, diame | 4 | Instrument |
| 8775 | O2 gas monitor model PacIII H, P/N: 8313653, sensor type: XSRO2 LS, NIMHy powe | 2 | Instrument |

10/10/16

[Handwritten signature]

[Handwritten signature]

| | | | |
|-------|---------------------------------------------------------------------------------------|-----|------------|
| 8780 | Dust filter, P/N: 6808244 used for O2 gas monitor model PackIII H, P/N: 8313653 | 12 | Instrument |
| 9575 | Power supply, model NPS-250KB F REV:08, 250 W MAX, used for Desktop Dimension | 2 | Instrument |
| 9576 | Processor fan, model 3615KL-04W-B86, 12 VDC, 2.1 Amp, used for Desktop Dimension | 2 | Instrument |
| 10980 | Printed wiring assembly, P2600, 533 MHz, V2 P/N: F0364 to be used for power edge | 2 | Instrument |
| 10981 | Power supply , 730 W, Redundant to be used for power edge 2600 service tag FP5V | 2 | Instrument |
| 10983 | Processor, 80532K, 2.4GHz, 512K 533, D1 to be used for power edge 2600 service tag | 2 | Instrument |
| 10984 | Card, voltage regulator module, 12V, 9.1 to be used for power edge 2600 service tag | 2 | Instrument |
| 10985 | 512 MB memory module P/N: A0066817 to be used for power edge 2600 service tag | 4 | Instrument |
| 10986 | Processor cooling fan to be used for power edge 2600 service tag FP5V641 and 30C | 2 | Instrument |
| 10991 | Dual in line memory module P/N: M0211 to be used for precision 360 service tag: B6 | 4 | Instrument |
| 10992 | Power supply to be used for precision 360 service tag: B6KV641, Mfr.: DELL | 3 | Instrument |
| 10993 | Processor cooling fan to be used for precision 360 service tag: B6KV641, Mfr.: DELL | 4 | Instrument |
| 10994 | Card controller, LSIL, U320, P/N: T2484 to be used for precision 360 service tag: B6K | 2 | Instrument |
| 4705 | Bright annealed seamless cold finished tube, 316/316L SS-ASTM A269, 90 RB max h | 5 | Instrument |
| 4712 | Bright annealed seamless cold finished tube, 316SS-ASTM A269, 90 RB max hardnes | 2 | Instrument |
| 4713 | Bright annealed seamless cold finished tube, 316SS-ASTM A269, 90 RB max hardnes | 210 | Instrument |
| 4714 | Bright annealed seamless cold finished tube, 316SS-ASTM A269, 90 RB max hardnes | 15 | Instrument |
| 5216 | Bright annealed seamless cold finished tube, 316/316L SS-ASTM A269, 90 RB max h | 122 | Instrument |
| 4814 | Bright annealed seamless cold finished tube, 316/316L SS-ASTM A269, 90 RB max h | 576 | Instrument |
| 3807 | Check valve kit for air compressor ZT-200 New P/N 2906 0424 00 | 2 | Mechanical |
| 3808 | 4000 Hour Maintenance Kit consisting of 1.7A thru 1.7E: New P/N 2906 0428 00 | 1 | Mechanical |
| 3809 | Air/Oil filter kit for air compressor ZT-200 New P/N 2906039300 | 2 | Mechanical |
| 7967 | Bush P/N2201 7283 00 (Not in Use ..."Canceled by Mechanical Discipline as per rev. | 4 | Mechanical |
| 7968 | Housing P/N2202 0828 00 (Not in Use ..."Canceled by Mechanical Discipline as per r | 2 | Mechanical |
| 7969 | Spring P/N2102 0827 00 (Not in Use ..."Canceled by Mechanical Discipline as per re | 4 | Mechanical |
| 7970 | Non Return Valve P/N2102 0826 00 (Not in Use ..."Canceled by Mechanical Disciplir | 2 | Mechanical |
| 3802 | HP balancing piston diaphragm 1616 5824 00, For Air Compressors ZT 200-10-50 & | 2 | Mechanical |
| 3811 | Intercooler drain valve kit for air compressor ZT-200 New P/N 2906042700 | 8 | Mechanical |
| 3813 | Seal washer for air compressor ZT-200 New P/N 2906043200 | 4 | Mechanical |
| 2253 | SEAL, KIT 31280 (Canceled by Ahmed Al-Shabrawy 14.09.06 since pump will be rep | 3 | Mechanical |
| 2254 | VALVE, KIT 31270 (Canceled by Ahmed Al-Shabrawy 14.09.06 since pump will be re | 6 | Mechanical |
| 3659 | Impeller Wear Ring P/N 138631120130230 for pump type IL 350/80 (Not in Use ..."C | 2 | Mechanical |
| 3696 | Positioner SA/CL-1 252780583 / 40130 (Not in Use ..."Not caused") | 13 | Mechanical |
| 5778 | FUEL GAS LINE GSKT 5 FUEL GAS LINE GSKT 5 (Not in Use ..."Canceled by Mechanica | 1 | Mechanical |
| 5779 | HEADER GSKT 6 HEADER GSKT 6 (Not in Use ..."Canceled by Mechanical Discipline a | 2 | Mechanical |

A. SAR
10/10/10

I. G. G.
10/10/10

10/10/10
10

| | | | |
|------|----------------------------------------------------------------------------------|-----|------------|
| 5780 | HEADER GASKET FOR HOH HEADER GSKT 6 300 RF (Not in Use ..."Canceled by Mecl | 1 | Mechanical |
| 5771 | FUEL GAS GSKT 2 FUEL GAS GSKT 2 (Not in Use ..."Canceled by Mechanical Disciplin | 2 | Mechanical |
| 5773 | FUEL GAS GSKT 4 FUEL GAS GSKT 4 (Not in Use ..."Canceled by Mechanical Disciplin | 2 | Mechanical |
| 5775 | FUEL GAS LINE GSKT 2 FUEL GAS LINE GSKT 2 (Not in Use ..."Canceled by Mechanical | 1 | Mechanical |
| 5777 | FUEL GAS LINE GSKT 3 FUEL GAS LINE GSKT 3 (Not in Use ..."Canceled by Mechanical | 1 | Mechanical |
| 3489 | Complete Mechanical Seal for Pump P-2001 P/N. 015 A08 1678 (Flowserve Ref. No. | 1 | Mechanical |
| 3491 | Complete Mechanical Seal for Pump P-1701 P/N. 015 A08 1676 Flowserve Ref. No. | 2 | Mechanical |
| 8247 | Bushing for sheave HTD 3535*7mm (Not in Use ..."Canceled by Mechanical Disciplin | 1 | Mechanical |
| 2228 | Bearings for American Marsh Bowl Assy Set of Bearings for 6JC-8 73007557B P/N:7 | 1 | Mechanical |
| 6133 | Shaft , Propane Make-Up Pump P-2002, Model: IL 350/80 (Canceled by Ahmed Al-S | 1 | Mechanical |
| 3494 | Complete Mechanical Seal for Pump P-2002 P/N. 015 A08 1679 (Flowserve Ref. No. | 1 | Mechanical |
| 6138 | Impeller with wear ring, Ethylene Make-Up Pump P-2001, Model: IL 200/50 (Cance | 1 | Mechanical |
| 6134 | Impeller with wear ring, Propane Make-Up Pump P-2002, Model: IL 350/80 (Cance | 1 | Mechanical |
| 3658 | Casing Wear Ring P/N 009631452201303 for pump type IL 350/80 (Not in Use ..."Ca | 2 | Mechanical |
| 5854 | Gasket for 1P-1501 144901130032025 (Canceled by Ahmed Al-Shabrawy 14.09.06 s | 1 | Mechanical |
| 5873 | GASKET FOR 2P-1403 144901143045025.- (Canceled by Ahmed Al-Shabrawy 14.09. | 1 | Mechanical |
| 3490 | "Complete Mechanical Seal for Pump P-1403 P/N. 015 A08 1674 (Flowserve Ref. No | 2 | Mechanical |
| 2194 | Sets of Pump Gaskets 1P-1403 PUMP GASKETS for pump type IL 400/100 (Not in Us | 2 | Mechanical |
| 2195 | Sets of Pump Gaskets 1P-1501 PUMP GASKETS for pump type IL 300/50 (Not in Use | 2 | Mechanical |
| 2197 | Sets of Pump Gaskets 1P-2002 PUMP GASKETS for pump type IL 350/80 (Not in Use | 1 | Mechanical |
| 2173 | Casing Wear Ring P/N 009625471501107 for pump type IL 300/50 P-1501 (Cancele | 6 | Mechanical |
| 2174 | Casing Wear Ring P/N 009625471701307 for pump type IL 250/80 P-1701 A/B (No | 4 | Mechanical |
| 2181 | Impeller Wear Ring P/N 138631140150230 for pump type IL 400/100P-1403 (Cance | 4 | Mechanical |
| 2182 | Impeller Wear Ring P/N 138625100110163 for pump type IL 300/50 P-1501 (Cance | 8 | Mechanical |
| 2183 | Impeller Wear Ring P/N 138625120130163 for pump type IL 250/80 P-1701 A/B (N | 4 | Mechanical |
| 2172 | Casing Wear Ring P/N 009631452201503 for pump type IL 400/100 P-1403 (Cancele | 4 | Mechanical |
| 2107 | rope guide with roller & spring, KONECRANES part number 52395822" | 9 | Mechanical |
| 748 | Nozzle 102737 2 H3 JOS/JBS FOR PSV-15008 P/N:102737 | 3.0 | Mechanical |
| 754 | Nozzle 102875 "L" ORIF JOS/JBS FOR PSV-14005, 12010 P/N:102875 | 3.0 | Mechanical |
| 755 | Nozzle 102891 "L" JOS/JBS FOR PSV-11004 P/N:102891 | 3.0 | Mechanical |
| 756 | Nozzle 103008 "Q" ORIF FOR PSV-32001, 22002 P/N:103008 | 1.0 | Mechanical |
| 757 | Nozzle Ring 103010 "Q" ORIF for PSV-22002, 32001 P/N:103010 | 3.0 | Mechanical |
| 758 | Nozzle 103137 for PSV-17009, 22001, 22011 P/N:103137 | 2.0 | Mechanical |
| 759 | Nozzle 103169 N ORF for PSV-20010, 12004, 14002 P/N:103169 | 1.0 | Mechanical |
| 764 | Nozzle 103214 "P" ORF for PSV-14003, 14004, 15004 P/N:103214 | 1.0 | Mechanical |

A. S. S. P.
10/10/16

I. G. S. S. P.

| | | | |
|-----|---------------------------------------------------------------------------------------------------|-----|------------|
| 767 | Guide 103355 F/ORF FOR PSV-13001, 13009, 34004 P/N:103355 | 5.0 | Mechanical |
| 771 | Guide 103363 K ORF-JOS/JBS FOR PSV-12007, 24017, 32000 P/N:103363 | 2.0 | Mechanical |
| 772 | Guide 103365 L - ORF JOS/JBS FOR PSV-11004, 12010, 14005 P/N:103365 | 2.0 | Mechanical |
| 773 | Guide 103367 M ORF JOS/JBS FOR PSV-17009, 22001, 22011 P/N:103367 | 2.0 | Mechanical |
| 774 | Guide 103369 N ORF JOS/JBS FOR PSV-20010, 12004, 14002 P/N:103369 | 2.0 | Mechanical |
| 776 | Guide 103383 "Q" ORF - JOS/JBS FOR PSV-22002, 32001 P/N:103383 | 7.0 | Mechanical |
| 800 | Spindle 121394 FOR PSV-14026 P/N:121394 | 3.0 | Mechanical |
| 804 | Disc Insert 122598 OMNI 9722 FOR PSV- 17005, 17010, 17004, 17006 P/N:122598 | 2.0 | Mechanical |
| 808 | Disc Insert 136979 "G" ORF. JOS/JBS MOD. RET FOR PSV-14011, 14012, 14021, 14022, 15002 P/N:136979 | 3.0 | Mechanical |
| 811 | Nozzle Ring 137300 F ORIF. JOS/JBS FOR PSV-13001, 13009, 34004 P/N:137300 | 3.0 | Mechanical |
| 815 | Nozzle Ring 137304 K ORIF JOS/JBS FOR PSV-12007, 24017, 32000 P/N:137304 | 2.0 | Mechanical |
| 816 | Nozzle Ring 137305 L ORIF JOS/JBS FOR PSV-11004, 12010, 14005 P/N:137305 | 2.0 | Mechanical |
| 817 | Nozzle Ring 137306 M ORIF JOS/JBS FOR PSV-17009, 22001, 22011 P/N:137306 | 2.0 | Mechanical |
| 818 | Nozzle Ring 137307 N ORIF JOS/JBS FOR PSV-20010, 12004, 14002 P/N:137307 | 4.0 | Mechanical |
| 819 | Guide 140944 BP51&BP61 Valve FOR PSV-17005, 17010, 17004, 17006 P/N:140944 | 2.0 | Mechanical |
| 821 | Spindle 140946 FOR PSV-17010 P/N:140946 | 4.0 | Mechanical |
| 822 | Disc Insert 141308 K ORF FOR PSV-12007, 24017, 32000 | 3.0 | Mechanical |
| 829 | Spindle 143499 FOR PSV-17005, 17004, 17006 P/N:143499 | 2.0 | Mechanical |
| 830 | Disc Insert 145870 FOR PSV-20010, 12004, 14002 | 3.0 | Mechanical |
| 852 | Seat Ring, All 316 SS 02-05464-006 4&6" FOR PSV-12104 P/N:02-05464-006 | 5.0 | Mechanical |
| 854 | Seat Ring, All Aluminum 02-10438-001 2" FORMED FOR PSV-21100, 29101 P/N:02-10438-001 | 6.0 | Mechanical |

A. J. [Signature]
10/10/16

I. [Signature]

[Signature]

| | | | | |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|------------|---|
| 855 | Seat Ring, All 316 SS 02-10438-006 2" FOR PSV-12101 P/N:02-10438-006 | 4.0 | Mechanical | c |
| 856 | seal-liner, 02-6147-003 Type 251526 6x8 FOR PSV-16001B\C P/N:02-6147-003 | 4.0 | Mechanical | c |
| 858 | Seat - 50 Inox 026494-005 6" Type 73 FOR PSV-14015A\B, 14025A\B P/N:02-6494-005 | 10.0 | Mechanical | c |
| 862 | Pilot Valve Soft Goods Kit 04-4749-763 FOR PSV-12006, 14014,L 14015A\B, 14024, 14025A\B, 15012, 15013, 15022, 15023, 16001A\B\C 16002A\B\C P/N:04-4749-763 | 25.0 | Mechanical | c |
| 874 | Vacuum Pallet Assembly, Low Set, 316 SS 06-11485-006 FOR PSV-12104 P/N:06-11485-006 | 4.0 | Mechanical | c |
| 875 | Vacuum Pallet Assembly, Low Set, Aluminum 06-11485-101 2" AL/TFE FOR PSV-21100, 29101 P/N:06-11485-101 | 10.0 | Mechanical | c |
| 876 | Vacuum Pallet Assembly, Low Set, 316 SS 06-11485-106 2" FORMAD FOR PSV-12101 P/N:06-11485-106 | 2.0 | Mechanical | c |
| 877 | Pressure Pallet Assembly, Low Set, Aluminum 06-11485-301 2" AL/TFE FOR PSV-21100, 29101 P/N:06-11485-301 | 12.0 | Mechanical | c |
| 878 | Pressure Pallet Assembly, Low Set, 316 SS 06-11485-306 TFE FORMED FOR PSV-12101 P/N:06-11485-306 | 4.0 | Mechanical | c |
| 879 | Pressure Pallet Assembly, Low Set, 316 SS 06-11485-506 4" SS/TFE FOR PSV-12104 P/N:06-11485-506 | 3.0 | Mechanical | c |
| 894 | Seat-retainer, SST A240-316 06-5585-001 6" type 63 FOR PSV-14015A\B, 14025A\B P/N:06-5585-001 | 2.0 | Mechanical | c |
| 897 | seal-nozzle, Fluorosint 500 06-5610-016 FOR PSV-16001B\C P/N:06-5610-016 | 3.0 | Mechanical | c |
| 898 | seal-nozzle, Fluorosint 500 06-5610-018 FOR PSV-16001A P/N:06-5610-018 | 2.0 | Mechanical | c |
| 899 | seal-nozzle, Fluorosint 500 06-5610-021 FOR PSV-34006, 34007 P/N:06-5610-021 | 5.0 | Mechanical | c |
| 900 | Pallet Insert, All, Teflon B12741-093 FOR PSV-12104 P/N:B12741-093 | 4.0 | Mechanical | c |
| 903 | Spindle Assy S58913 FOR PSV-14022, 15002 P/N:S58913 | 3.0 | Mechanical | c |
| 904 | Spindle Assy S58914 FOR PSV-12007, 24017 P/N:S58914 | 3.0 | Mechanical | c |
| 905 | Spindle Assy S58981 FOR PSV-20010, 12004, 14001, 14002, 14003, 15004 P/N:S58981 | 5.0 | Mechanical | c |

A. SARR
10/10/16

I. Kadell

| | | | |
|-----|-----------------------------------------------------------------|-----|------------|
| 906 | Spindle Assy S59527 FOR PSV-11005 P/N:S59527 | 4.0 | Mechanical |
| 910 | Spindle Assy S59714 FOR PSV-32000 P/N:S59714 | 3.0 | Mechanical |
| 911 | Spindle Assy S59728 FOR PSV-13005, 13008A\B P/N:S59728 | 2.0 | Mechanical |
| 912 | Spindle Assy S59729 FOR PSV-22005 P/N:S59729 | 3.0 | Mechanical |
| 913 | Spindle Assy S59733 FOR PSV-14011, 14012, 14021 P/N:S59733 | 1.0 | Mechanical |
| 914 | Spindle Assy S59811 FOR PSV-11004, 12010, 14005 P/N:S59811 | 2.0 | Mechanical |
| 915 | Spindle Assy S59826 FOR PSV-22002, 32001 P/N:S59826 | 2.0 | Mechanical |
| 916 | Spindle Assy S59975 FOR PSV-17009, 22011 P/N:S59975 | 3.0 | Mechanical |
| 917 | Spindle Assy S59976 FOR PSV-22001 P/N:S59976 | 3.0 | Mechanical |
| 918 | Spindle Assy S59992 FOR PSV-14004 P/N:S59992 | 3.0 | Mechanical |
| 923 | Spindle Assy S66132 FOR PSV-15003, 17003 P/N:S66132 | 3.0 | Mechanical |
| 924 | Base Assy S76298 FOR PSV-14026 P/N:S76298 | 2.0 | Mechanical |
| 926 | Base Assy S86563 FOR PSV-17010 P/N:S86563 | 3.0 | Mechanical |
| 927 | Base Assy S89813 FOR PSV-17005, 17004, 17006 P/N:S89813 | 2.0 | Mechanical |
| 929 | Bellows/Tailpiece S91326 FOR PSV-14022, 15002 P/N:S91326 | 3.0 | Mechanical |
| 932 | Bellows/Tailpiece S91332 FOR PSV-20010, 12004, 14002 P/N:S91332 | 1.0 | Mechanical |
| 934 | Disc Holder S91336 FOR PSV-15003, 17003 P/N:S91336 | 2.0 | Mechanical |
| 937 | Bellows/Tailpiece S91742 FOR PSV-12007, 24017, 32000 P/N:S91742 | 2.0 | Mechanical |
| 938 | Bellows/Tailpiece S91743 FOR PSV-11004, 12010, 14005 P/N:S91743 | 2.0 | Mechanical |
| 939 | Bellows/Tailpiece S91772 FOR PSV-22002 | 2.0 | Mechanical |
| 940 | Spring X07018 FOR PSV-16006, 16007 P/N:X07018 | 3.0 | Mechanical |
| 941 | Spring X07020 FOR PSV- 15006 P/N:X07020 | 3.0 | Mechanical |
| 942 | Spring X07025 for PSV-17002 P/N:X07025 | 3.0 | Mechanical |
| 943 | Spring X07034 FOR PSV-17001 P/N:X07034 | 3.0 | Mechanical |
| 944 | Spring X07054 FOR PSV-12005, 20003, 20004 P/N:X07054 | 1.0 | Mechanical |
| 945 | Spring X07056 FOR PSV-12012, 12013 P/N:X07056 | 3.0 | Mechanical |
| 946 | Spring X07085 FOR PSV-14023 P/N:X07085 | 3.0 | Mechanical |
| 947 | Spring X07087 FOR PSV-15002 P/N:X07087 | 3.0 | Mechanical |
| 948 | Spring X07142 FOR PSV-24017 P/N:X07142 | 3.0 | Mechanical |
| 949 | Spring X07147 FOR PSV-12007 P/N:X07147 | 3.0 | Mechanical |
| 950 | Spring X07264 FOR PSV-20010, 12004 P/N:X07264 | 3.0 | Mechanical |

A. SAA
 10/10/16
 I. Kudall

| | | | |
|------|---------------------------------------------------------------------|-----|------------|
| 951 | Spring X07272 FOR PSV-15004 P/N:X07272 | 3.0 | Mechanical |
| 952 | Spring X07571 FOR PSV-34004 P/N:X07571 | 3.0 | Mechanical |
| 953 | Spring X36006 FOR PSV-24014 P/N:X36006 | 4.0 | Mechanical |
| 954 | Spring X36011 FOR PSV-14028 P/N:X36011 | 4.0 | Mechanical |
| 955 | Spring X36015 FOR PSV-19001 P/N:X36015 | 4.0 | Mechanical |
| 956 | Spring X36017 FOR PSV-12020, 12024 P/N:X36017 | 2.0 | Mechanical |
| 957 | Spring X36018 FOR PSV-16003 P/N:X36018 | 3.0 | Mechanical |
| 958 | Spring X36026 FOR PSV-22009 P/N:X36026 | 4.0 | Mechanical |
| 960 | Spring X36039 FOR PSV-22010 P/N:X36039 | 4.0 | Mechanical |
| 961 | Spring X36054 FOR PSV-22003 P/N:X36054 | 4.0 | Mechanical |
| 962 | Spring X36058 FOR PSV-35001 P/N:X36058 | 4.0 | Mechanical |
| 963 | Spring X36077 FOR PSV-11005 P/N:X36077 | 4.0 | Mechanical |
| 964 | Spring X36082 FOR PSV-14011, 14012, 14021, 14022 P/N:X36082 | 2.0 | Mechanical |
| 965 | Spring X36085 FOR PSV-14013 P/N:X36085 | 4.0 | Mechanical |
| 967 | Spring X36123 FOR PSV-11013, 13002, 13004 P/N:X36123 | 2.0 | Mechanical |
| 968 | Spring X36145 FOR PSV-32000 P/N:X36145 | 3.0 | Mechanical |
| 969 | Spring X36161 FOR PSV-13005, 13008A\B P/N:X36161 | 3.0 | Mechanical |
| 970 | Spring X36187 FOR PSV-17009, 22011 P/N:X36187 | 3.0 | Mechanical |
| 971 | Spring X36208 FOR PSV-12010 P/N:X36208 | 3.0 | Mechanical |
| 972 | Spring X36212 FOR PSV-14005 P/N:X36212 | 3.0 | Mechanical |
| 973 | Spring X36213 FOR PSV-11004 P/N:X36213 | 3.0 | Mechanical |
| 974 | Spring X36243 FOR PSV-22001 P/N:X36243 | 3.0 | Mechanical |
| 975 | Spring X36272 FOR PSV-14002 P/N:X36272 | 3.0 | Mechanical |
| 976 | Spring X36274 FOR PSV-14003, 14004 P/N:X36274 | 3.0 | Mechanical |
| 977 | Spring X36277 FOR PSV-14001 P/N:X36277 | 3.0 | Mechanical |
| 978 | Spring X36302 FOR PSV-32001 P/N:X36302 | 3.0 | Mechanical |
| 979 | Spring X36305 FOR PSV-22002 P/N:X36305 | 3.0 | Mechanical |
| 980 | Spring X07090 FOR PSV-15008 P/N:X07090 | 3.0 | Mechanical |
| 981 | Spring X36111 FOR PSV-22005 P/N:X36111 | 3.0 | Mechanical |
| 982 | Spring X07311 FOR PSV-15003, 17003 P/N:X07311 | 3.0 | Mechanical |
| 983 | Spring X07518 FOR PSV-34003, 34005 P/N:X07518 | 2.0 | Mechanical |
| 1850 | Labyrinth seal MKA10 3BSM001177-1 P/N:3BSM001177-1 | 4.0 | Mechanical |
| 1888 | Flexible joint type ACOUSEAL Plenum/inlet system P/N:2042631-1 Mfr. | 6.0 | Mechanical |

A. SARR
10/10/16

I. Godall

| | | | |
|------|---------------------------------------------------------------------------------------------------------------------------------|-----|------------|
| 1902 | Window 2406075-B P/N:2406075-B | 2.0 | Mechanical |
| 1903 | Armogasket 2406483-2 P/N:2406483-2 | 2.0 | Mechanical |
| 1945 | Brush holder 2036502-2 P/N:2036502-2 | 2.0 | Mechanical |
| 1954 | Line bearing kit 2036511-3 P/N:2036511-3 | 1.0 | Mechanical |
| 1955 | Brush 2036512-1 P/N:2036512-1 | 2.0 | Mechanical |
| 1956 | Brush holder 2036512-2 P/N:2036512-2 | 2.0 | Mechanical |
| 1965 | Cone 1850621-1 P/N:1850621-1 | 3.0 | Mechanical |
| 1981 | Elements BR 1CS34597-5 P/N:1CS34597-5 | 6.0 | Mechanical |
| 1991 | Air duct Flexible conn. P/N:1CSA5791-1 Mfr. Demag delval industrial | 7.0 | Mechanical |
| 1992 | Filter insert for regulator 1CSA5829-1 P/N:1CSA5829-1 | 2.0 | Mechanical |
| 5791 | TRANSITION PIECE Gasket G-7E2 (25"X 17 1/2") P/N 763N using for against | 3.0 | Mechanical |
| 5792 | TRANSITION PIECE Gasket G-7E2 (32.825"X 24 3/8") P/N 763N using for against water,oil, grease Mfr FIBER FLEX PACKING & MFC. Co. | 3.0 | Mechanical |
| 6195 | Spring P/No.0800127016N P/N:0800127016N | 5.0 | Mechanical |
| 8389 | Bearing for GEARBOX ASSY, SIMPLEX , No.10-B 71 FRAME P/N: NP400003 | 4.0 | Mechanical |

A - SAA
 10/10/16

I. Goodall

F