

<u>M-E-S-C</u>	<u>DESCRIPTION</u>	<u>Qty.</u>	<u>Unit</u>	<u>COND.</u>
09-94-45-001-5	control line 1/4" (2reel)	7500.0	MT	C
09-94-45-001-4	CONTROL LINE BAKER HUGHES	2000.0	FT	B
09-94-45-001-9	CONTROL LIEN (3300 FT) BAKER HUGHES	1300.0	FT	A
85-53-98-010-1	O RING SIZE 22X10	200.0	EA	A
85-53-98-020-1	O RING SIZE 26 X 12	200.0	EA	A
96-43-20-101-9	Gloves	128.0	PAIR	A
81-36-60-158-9	STUD BOLT WITH 2 NUTS 5/8 " X 4 1/4"	74.0	EA	A
81-36-60-134-9	STUD BOLT WITH 2 NUTS 3/4 " X 4 3/4"	52.0	EA	A
77-20-01-101-3	Rubber seal for valve couplings as a part of landing valve, rubber washer g6 black.	50.0	EA	A
77-20-01-102-3	Rubber seal jumper valve, disc facing rubber ov8 .	50.0	EA	A
96-58-20-011-9	3 1/2" COUPLING 9.2" N80 BEVELED END	50.0	EA	A
29-64-09-022-9	PAKING FOR CHEMICAL SKID	49.0	EA	
61-90-32-011-9	SPRINKLERS FOR OIL STORAGE TANKS WATER COOLING	37.0	EA	A
81-46-01-004-9	NUT FOR HEATER 1000 WATT	36.0	EA	A
69-41-96-120-9	Fluorescent lamp 120 cm Toshiba	35.0	EA	A
05-17-55-958-9	9 5/8" STOP COLLAR	33.0	EA	A
76-06-28-104-9	1" SEAMMLES STEEL COUPLING SCH 40 THREADED BOTH ENDS	31.0	EA	A
76-30-40-044-9	4" ELBOW 90 STD AF250B	30.0	EA	A
05-17-35-958-9	9 5/8" CENTRALIZER (POW) A3	30.0	EA	A
81-36-30-304-9	3/4"*4" lg.stud bolt with two nuts	22.0	EA	A
81-36-60-342-9	STUD BOLTS WITH 2 NUTS(3/4" x 41/2")	21.0	EA	A
76-62-81-007-9	FLANGE 3/4" 2500# W.N. RTJ	20.0	EA	A
85-41-32-020-1	4" GASKET.CLASS 150,SPIRAL WOUND AISI 316 L SS. ASME B 16.20, GRAPHITE FILLER, CS OUTER RING	20.0	EA	A
05-17-55-107-9	7" STOP COLLAR	20.0	EA	A
76-37-00-602-9	1" HALF COUPLING 6000#	18.0	EA	A
76-37-28-042-9	COUPLING 1.1/2" 3000# SW	17.0	EA	A
92-16-02-101-9	COVARTA 2 M 220 CM	17.0	EA	A
76-30-40-648-9	4" seamless elbow 90 sch 80	16.0	EA	A
81-36-30-109-9	1/2" X3 1/4" STUD BOLT, WITH 2NUTS HEAVY , AS PER ASTM A DIMENSION AS PER ASME B18.2.2 THREADS AS PER ASME B1.1,CL2A&2BFIT	16.0	EA	A
58-43-48-012-3	FULL FILTER P/N FS1251	15.0	EA	A
76-02-00-302-9	3/4" SOCKET 3000#	15.0	EA	A
76-35-00-104-9	1 1/2" X 1/2" NIPPLE SWIGH SCH.80	15.0	EA	A
70-59-00-005-9	FUSE 5AMP	15.0	EA	A
70-59-00-010-9	FUSE 10AMP	15.0	EA	A
64-21-22-906-9	3 1/2" COUPLING 9.2" N80 BEVELED END	15.0	EA	A
09-86-24-026-9	STUDS 17/8" C/W NUTS P.N : 10196	14.0	EA	A
85-41-32-014-1	2" GASKET.CLASS 150,SPIRAL WOUND AISI 316 L SS. ASME B 16.20, GRAPHITE FILLER, CS OUTER RING	14.0	EA	A
77-20-01-212-9	LANDING VALVE 2 1/2"-MALYSIA-MODEL:DRS-GM-65BSP,INLET MALE BSP THREAD 65MM,RIGHT ANGLE LANDING VALV	12.0	EA	A
09-86-26-028-3	STUDS 1.7/8" X 14.1/4" C/W NUTS P.N: 10196	12.0	EA	A
76-62-00-104-9	3/4" BLIND FLANGE 150# STD	12.0	EA	A
04-18-93-032-4	7" OHLINER P110 32# TSH BLUE R3	11.0	JTS	B
76-30-00-412-9	6" ELBOW 45 DEG .STD	11.0	EA	A
76-30-00-908-9	1" ELBOW 90 DEG . SCH.80	11.0	EA	A
96-30-65-010-9	RUBBER FOR FIRE FIGHTING	10.0	EA	A
76-01-14-006-9	WELD O-LET 3" X 3/4" X H	10.0	EA	A

76-30-40-050-9	10" ELBOW 90 STD	10.0	EA	A
76-30-45-007-9	3/4" ELBOW 90 8000#	10.0	EA	A
76-32-86-042-9	TEE REDUCER 1.1/2" X 3/4" 3000#	10.0	EA	A
76-39-28-102-9	S.S 316 MALE CONNECTOR 1/4" NBT MEALX1/2" TUBE	10.0	EA	A
76-39-32-101-9	1/2 " S.S 316 UNION	10.0	EA	A
76-39-32-102-9	1/4 " S.S 316 UNION	10.0	EA	A
76-39-33-102-9	1/2 " S.S 316 TUBE UNION TEE	10.0	EA	A
76-39-38-101-9	S.S 316 MALE ELBOW 90 1/4 " NPT MALEX 1/4 " TUBE	10.0	EA	A
76-39-38-103-9	S.S 316 MALE ELBOW 90 1/4 " NPT MALEX 1/2 " TUBE	10.0	EA	A
76-39-38-104-9	S.S 316 MALE ELBOW 90 1/2 " NPT MALEX 1/4 " TUBE	10.0	EA	A
76-39-81-101-9	S.S 316 MALE BRANCH TEE 1/2" TUBEX 1/2" NPTMALE BRANCH	10.0	EA	A
76-61-00-107-9	2" FLANGE 150# SCH 40	10.0	EA	A
76-61-00-603-9	3/4" FLANGE 600# SCH.80 RTJ	10.0	EA	A
76-62-78-404-9	4" FLANGE CLASS 150 WELD NECK SCH 40	10.0	EA	A
85-41-32-120-1	4" GASKET.CLASS 300, SPIRAL WOUND AISI 316 L SS. ASME B 16.20, GRAPHITE FILLER, CS OUTER RING	10.0	EA	A
85-41-32-226-9	GASKET 2" 600	10.0	EA	A
05-17-30-107-9	7" x8 1/2" (OD 81/4") RIGID CENTRALIZER	10.0	EA	A
64-39-14-400-9	Misc.	10.0	KGS	A
96-49-11-101-9	AURORA EYEWEAR SAFETY GLASS (BLACK)	9.0	EA	A
76-01-00-310-9	20" X 2" WELDOLET 3000#	9.0	EA	A
76-02-00-312-9	14" X 3/4" SOCKLET 3000 # XH	9.0	EA	A
85-41-32-124-1	6" GASKET SPIRAL WOUND CLASS 300, ST.ST	9.0	EA	A
58-39-20-033-3	OIL FILTER P/N 3345	8.0	EA	A
76-30-40-608-9	2" ELBOW 90 SCH 80	8.0	EA	A
76-30-41-044-9	4" ELBOW 90 SCH 160	8.0	EA	A
76-39-81-102-9	S.S 316 MALE BRANCH TEE 1/4" TUBEX 1/2" NPTMALE BRANCH	8.0	EA	A
76-61-00-111-9	3" FLANGE 150#SCH.40	8.0	EA	A
76-62-79-043-9	FLANGE 3" 300# W.N. STD RF	8.0	EA	A
95-34-85-300-9	PULOLOVER WOOL/ACRYLIC	7.0	EA	A
58-65-01-140-3	Air FILTER P/N AH1140	7.0	EA	A
76-33-00-110-9	8" TEE STD	7.0	EA	A
76-33-83-080-9	2" TEE SCH 80	7.0	EA	A
76-35-00-102-9	1" X 1/2" NIPPLE SWIGH SCH.80	7.0	EA	A
76-62-78-306-4	3 " WELD NECK FLANGE 300 # SCH 80	7.0	EA	B
76-62-78-403-4	4 " WELD NECK FLANGE 300 #	7.0	EA	B
89-22-10-687-9	SCALE / CORROSION INHIB ITOR ECC 51687 CI / SI	7.0	DR	A
96-49-10-001-9	SAFETY GOGGLE	6.0	EA	A
50-27-19-531-3	OIL FILTER P/N FS19531	6.0	EA	A
76-30-00-904-9	3/2" ELBOW 90 DEG .SCH.80	6.0	EA	A
76-30-00-924-9	12" ELBOW 90 DEG SCH ..STD	6.0	EA	A
76-32-00-120-9	1" X 1/2" REDUCER 3000#	6.0	EA	A
76-37-00-302-9	3/4" HALF COUPLING 3000#	6.0	EA	A
76-61-00-103-9	3/4" FLANGE 150#SCH.40	6.0	EA	A
76-62-00-114-9	2" BLIND FLANGE 150# X 1/2" NPT	6.0	EA	A
76-62-10-130-4	1 " BLIND FLANGE 300 #	6.0	EA	B
76-62-10-206-9	1/2"BLIND FLANGE ,RF,CS.AS PER ASTM A105,REQUIREMENTS AS PER ANSI B16.5 RATING 600	6.0	EA	A
76-62-12-005-9	FLANGE 1/2" 2500# BLIND RTJ	6.0	EA	A
76-62-30-170-4	2" SLIP ON FLANGE 300 #	6.0	EA	B
85-41-06-045-1	STAINLESS STEEL RING JOINT GASKET R-45	6.0	EA	A
23-09-01-080-3	AIR FILTER ASSEMBLY P/N 1613900080=1613900000	6.0	EA	A

23-09-01-100-3	OIL FILTER SEPERATOR ELEMENTP/N 2903087100=1622087100	6.0	EA	A
23-09-01-406-3	V- BELT P/N 2903102406=1613903206	6.0	EA	A
23-09-01-590-3	FILTER ELEMENT P/N 1613610590=1613610500	6.0	EA	A
23-99-01-002-3	AIR FILTER	6.0	EA	
64-25-10-959-3	BLOWER BELT MILLER 216959	6.0	EA	A
96-22-21-205-9	BRASS FIRE COUPLING 2.5" FEMALE THREAD END "JOHAN MORRIS END" WITH CHAINED CAP	5.0	EA	A
96-43-30-300-9	SAFETY HARD HELMET P.V.C.	5.0	EA	A
09-86-24-052-9	STUDS 1.125 X 8 C/W NUTS P.N: 10148	5.0	EA	A
58-01-07-903-1	BALL BEARING SIZE 6203 ZZ	5.0	EA	A
76-30-38-048-9	8" ELBOW 45 STD	5.0	EA	A
76-32-00-102-9	1" X 1/2" REDUCER TEE	5.0	EA	A
76-32-87-064-9	TEE REDUCER 4" X 3" XXSW BW-A-234-WPB H160	5.0	EA	A
76-33-00-108-9	4" TEE STD	5.0	EA	A
76-34-67-007-9	PLUG 3/4" 3000# A105	5.0	EA	A
76-37-28-005-9	COUPLING 1/2" SW 3000#	5.0	EA	A
76-37-30-009-9	COUPLING 1" GALV	5.0	EA	A
76-61-00-119-9	12" FLANGE 150#SCH.40	5.0	EA	A
76-62-12-007-9	FLANGE 3/4" 2500# BLIND XXS	5.0	EA	A
85-41-20-635-1	3 1/8" GASKET RING, AS PER ASME B16.5/B16.20-RX-35	5.0	EA	A
85-41-32-024-1	6" GASKET.CLASS 150,SPIRAL WOUND AISI 316 L SS. ASME B 16.20, GRAPHITE FILLER, CS OUTER RING	5.0	EA	A
85-41-32-224-1	6" GASKET.CLASS 600,SPIRAL WOUND AISI 316 L SS. ASME B 16.20, GRAPHITE FILLER, CS OUTER RING	5.0	EA	A
70-59-00-002-9	FUSE 2AMP	5.0	EA	A
23-99-01-001-3	V-BELT SPZ 1612 LW	5.0	EA	
64-21-22-001-9	3 1/2" COUPLING 9.2" N80 BEVELED END	5.0	EA	A
64-39-14-205-9	Misc.	5.0	KGS	A
74-48-28-004-9	S.S.TUBE 1/2"	4.0	JTS	A
58-01-07-906-1	BALL BEARING SIZE 6206 ZZ	4.0	EA	A
58-01-10-908-1	BALL BEARING SIZE 6208 ZZ	4.0	EA	A
70-87-64-011-1	OUT WALL SOCKET 15 AMP	4.0	EA	A
75-22-01-006-9	BALL VALVE 3/4" GAL	4.0	EA	A
76-01-15-010-9	WELD O-LET 8" X 3" X 3000	4.0	EA	A
76-02-00-306-9	8" X 1/2" SOCKLET	4.0	EA	A
76-06-85-104-9	1" threaded steel tee sch 40	4.0	EA	A
76-16-39-604-9	6" ELBOW, 90 DEG,LR,CS, AS PER ASTM A234-WPB,BE.AS PER ANSI B16,25,SCH.40	4.0	EA	A
76-16-84-308-4	3" SEAMLESSTEE SCH 80	4.0	EA	B
76-30-00-920-9	8" ELBOW 90 DEG . SCH.80	4.0	EA	A
76-30-00-922-9	10" ELBOW 90 DEG STD	4.0	EA	A
76-30-40-048-9	8" ELBOW 90 STD	4.0	EA	A
76-32-00-106-9	2" X 1" REDUCER TEE SCH.80	4.0	EA	A
76-32-00-116-9	8" X 10" REDUCER TEE	4.0	EA	A
76-33-99-007-9	TEE CONNECTION 3/4" GALV	4.0	EA	A
76-33-99-009-9	TEE CONNECTION 1" GALV	4.0	EA	A
76-37-28-007-9	COUPLING 3/4" 3000# SW A105	4.0	EA	A
76-39-33-101-9	1/4 " S.S 316 TUBE UNION TEE	4.0	EA	A
76-61-00-311-9	10" FLANGE 300# SCH.40	4.0	EA	A
76-61-00-605-9	3/4" FLANGE 600# SCH.80	4.0	EA	A
76-61-00-611-9	2 " FLANGE 600# XH RTJ	4.0	EA	A
76-61-00-613-9	4" FLANGE 600#	4.0	EA	A
76-62-78-115-4	1" WELD NECK FLANGE 150 # SCH 40	4.0	EA	B

76-62-78-608-9	6" FLANGE CLASS 150 WELD NECK SCH 80	4.0	EA	A
76-93-39-118-1	4" seamless elbow Sch.40 A234 WPB	4.0	EA	A
76-93-84-118-1	4" seamless tee Sch.40 A234 WPB	4.0	EA	A
77-10-00-012-1	4"check valve class 150 rf	4.0	EA	A
85-31-51-103-9	2" SW GASKET CLASS 300	4.0	EA	A
85-41-20-755-1	RING GASKET BX-155	4.0	EA	A
85-41-32-018-1	3" GASKET SPIRAL WOUND CLASS 150,ST.ST	4.0	EA	A
85-41-32-206-9	1/2"GASKET SPIRAL WOUND,1/8" THICK,316 OR304 ST.ST.SPIRAL AND INNER RING , TEFLON FILER,CS GALV,GAGE RING,AS PER ASM B16.5/B16.20,RATING600	4.0	EA	A
85-41-32-215-9	GASKET 2" 1500	4.0	EA	A
23-99-01-003-3	OIL FILTER QFC18	4.0	EA	
04-14-55-010-1	3 1/2" COUPLING 9.2" N80 BEVELED END	4.0	EA	A
64-25-10-938-3	AIR FILTER MILLER 192938	4.0	EA	A
04-18-93-032-5	7" OHLINER P110 32# TSH BLUE R3 - NEED CHANGE COUPLING	3.0	JTS	C
04-54-50-241-4	3 1/2" VAM TOP PIN , 9.2 X 31/2" JEEFBEAR BOX 9.2 OD (3.893" , 3515) ID 2950 LENHTH	3.0	EA	B
48-85-10-020-3	FULL FILTER FOR TOYTA	3.0	EA	A
60-35-21-100-9	ASHROFT STAINLESS STEEL PRESSURE GAUGE T5500- RANGE 0/1000	3.0	EA	A
76-01-00-304-9	12" X 1" WELDOLET 3000 #	3.0	EA	A
76-01-00-308-9	20" X 2" WELDOLET 3000# THREADED	3.0	EA	A
76-16-39-604-4	6" SEAMLESSELBOW 90* SCH 40	3.0	EA	B
76-16-84-604-9	6"TEE,EQUAL,CS.AS PER ASTM A234-WPB,BE.AS PER ANSI B16.25,SCH.40	3.0	EA	A
76-30-00-902-9	1/2" ELBOW 90 DEG .3000#	3.0	EA	A
76-30-00-918-9	8" ELBOW 90 DEG . STD	3.0	EA	A
76-32-00-108-9	2" X 3" REDUCER TEE	3.0	EA	A
76-39-38-102-9	S.S 316 MALE ELBOW 90 1/2 " NPT MALEX 1/2 " TUBE	3.0	EA	A
76-61-00-301-9	1" FLANGE 300#SCH.40	3.0	EA	A
76-62-00-106-9	3/4" BLIND FLANGE 150# X 1/2" NPT	3.0	EA	A
76-62-10-046-9	FLANGE 6" 150# BLIND RF-A105	3.0	EA	
76-62-10-308-4	4" BLIND FLANGE300#	3.0	EA	B
76-62-10-601-9	6" BLIND FLANGE,RF,CS.AS PER ASTM A105, REQUIR- EMENTS AS PER ANSI B16.5 RATING 600	3.0	EA	A
76-62-78-215-4	2 " WELD NECK FLANGE 1500 #	3.0	EA	B
76-62-78-406-4	4 " WELD NECK FLANGE 600 #	3.0	EA	B
76-79-01-001-1	6"x4" weldlet sch 80	3.0	EA	A
76-93-39-122-1	6" seamless elbow Sch.40 A234 WPB	3.0	EA	A
76-93-84-122-1	6" seamless tee Sch.40 A234 WPB	3.0	EA	A
77-10-00-014-1	6"check valve flanged class 150 WCB A216	3.0	EA	A
69-33-75-050-1	HALOGIN LAMP 500WATT	3.0	EA	A
69-80-21-100-9	Germany trans 1000 Watt	3.0	EA	A
64-25-10-217-3	FUEL FILTER MILLER 066217	3.0	EA	A
64-25-10-265-3	OIL FILTER MILLER 067265	3.0	EA	A
64-25-10-744-3	FUEL FILTER MILLER 192744	3.0	EA	A
05-17-35-138-9	13 3/8" CENTRALIZER (POW) A4	3.0	EA	A
05-17-40-958-9	9 5/8" CENTRALIZER (POSITIVE) P05	3.0	EA	A
05-17-55-138-9	13 3/8" STOP COLLAR	3.0	EA	A
89-19-95-230-9	DEMULSIFIER ECC 230	3.0	DR	A
74-39-99-008-9	POLY PIG 8"	2.0	JTS	A
04-54-50-242-4	3 1/2" VAM TOP BOX , 9.2 X 31/2" JEEFBEAR PIN 9.2 OD (3.920" , 3515) ID 2950 LENHTH	2.0	EA	B

09-86-26-016-4	GATE VALVE 2.1/16" API 5000PSI WP FLANGED ENDS BORE 2.1/16" NON-RISING STEM	2.0	EA	B
96-64-17-001-9	EAR PLUG	2.0	EA	A
03-62-84-301-4	3 " HAMMER UNION	2.0	EA	B
50-23-72-326-3	OIL FILTER "CAT" P/N 7W Z2326-E	2.0	EA	A
60-35-21-300-9	ASHROFT STAINLESS STEEL RESSURE GAUGE T5500- RANGE 0/3000 PSI	2.0	EA	A
60-48-13-160-9	ASHROFT BIMETAL THERMOMETER SERIES A ACCORDING TO EN 13190--160=AM=070=L=152=0/300=F160	2.0	EA	A
76-01-00-302-9	4" X 10" WELDOLET .40	2.0	EA	A
76-03-00-104-9	6" Y.STRAINER 150#	2.0	EA	A
76-16-39-308-4	3" SEAMLESSELBOW 90* SCH 80	2.0	EA	B
76-16-39-404-4	4" SEAMLESSELBOW 90* SCH 40	2.0	EA	B
76-16-71-328-4	3"*2" SEAMLESS REDUCER TEE SCH 80	2.0	EA	B
76-16-84-206-4	2" SEAMLESSTEE SCH 60	2.0	EA	B
76-16-84-406-4	4" SEAMLESSTEE SCH 60	2.0	EA	B
76-29-46-648-4	6"*4" SEAMLESS REDUCER SCH 80	2.0	EA	B
76-29-46-683-9	SEAMLESS REDUCER 6"x3" SCH 80	2.0	EA	A
76-30-00-414-9	8" ELBOW 45 DEG .STD	2.0	EA	A
76-30-00-416-9	12" ELBOW 45 DEG .STD	2.0	EA	A
76-30-45-005-9	1/2" ELBOW 90 10000 #	2.0	EA	A
76-32-00-112-9	6" X 10" REDUCER TEE	2.0	EA	A
76-32-00-118-9	8" X 12" REDUCER TEE	2.0	EA	A
76-32-87-042-9	TEE REDUCER 1.1/2" X 1" 3000#	2.0	EA	A
76-33-00-102-9	3" TEE STD	2.0	EA	A
76-33-00-802-9	3/4" TEE SCH.80 3000#	2.0	EA	A
76-33-91-043-9	3" TEE STD	2.0	EA	A
76-39-00-104-9	4" CAP STD	2.0	EA	A
76-61-00-315-9	8" FLANGE 300# WN RF SCH 4	2.0	EA	A
76-61-00-609-9	1 1/2" FLANGE 600# SCH.80	2.0	EA	A
76-61-00-615-9	4" FLANGE 600# XH RTJ	2.0	EA	A
76-62-10-309-4	3 " BLIND FLANGE 900 #	2.0	EA	B
76-62-30-170-1	2" SLIP ON FLANGE CLASS 300	2.0	EA	A
76-62-79-041-9	FLANGE 1" 300# W.N. STD RF	2.0	EA	A
76-62-79-604-9	6"FLANGE,WN,RF,CS.AS PER ASTEM A105,REQUIERMENT AS PER ANSI B16.5,BE.AS PER ANSI B16.25,SCH. 40 RATING 600	2.0	EA	A
76-62-81-044-9	FLANGE 4" 2500# W.N. RTJ	2.0	EA	A
76-79-01-002-1	8" X 4" WELDELT SCH 80	2.0	EA	A
76-93-85-142-1	Reducer tee 6"*4" sch. 40 A234 WPB	2.0	EA	A
77-02-72-002-9	1/2" BALL VALVE,RF,FP,125-250 AARH,AS PER API 6D,CS.BODY,316ST.ST.BALL& STEM AND SEAT RINGS,SECONDARY SEALING SYSTEM, FIRE SAFE AS PER API RP-6FA,ASME B16.34,RATING 600	2.0	EA	A
77-20-01-150-9	4" GATE VALVE GLASS 150	2.0	EA	A
77-67-98-603-9	6" dual plate wafer type check vallve cs class 300. rf	2.0	EA	A
81-36-30-107-9	1 1/8"X7 3/4"STUD BOLT,WITH 2NUTS HEAVY, AS PER ASTM A DIMENSIONS AS PER ASME B 18.2.2,THREADS AS PER ASME B1.1,CL 2A&2BFIT	2.0	EA	A
85-41-20-631-1	RING GASKET RX-31	2.0	EA	A
85-41-32-601-9	6"GASKET,SPIRAL WOUND,1/8" THICK,316 OR 304 ST.ST.SPIRAL AND INNER RING, TEFLON FILER,CS GALV. GAGE RING, AS PER ASME B16.5/B16.20, RATING 600	2.0	EA	A
32-50-01-138-3	MONO SPRING MECH SEAL SIZE 1 3/8" CARBON /SIC	2.0	EA	A

05-10-16-958-9	9 5/8" TOP PLUG	2.0	EA	A
05-10-21-958-9	95/8" BOTTOM PLUG	2.0	EA	A
05-14-17-958-9	95/8" FLOAT SHOE BTC	2.0	EA	A
05-14-26-958-9	95/8" FLOAT COLLAR BTC	2.0	EA	A
18-31-01-076-3	COOLANT FILTER P.N 2076	2.0	EA	A
03-80-80-001-4	DUMMY PENETRATOR PLUG	1.0	EA	B
09-15-10-110-5	adapter flange (51/8" lok flangex41/16"lok flange)	1.0	EA	C
09-15-25-072-4	3 1/8 " BLIND FLANGE5000 # W/ FEMALE THREAD 1/2 " NPT	1.0	EA	B
09-20-22-101-4	CASING SLIPS ASS 12070166. 02C API 6A .16 PU . AA PSI 3PRL .2GR 4 FMC C29 . 13 5/8 " * 9 5/8 " 93-07-20	1.0	EA	B
09-21-82-113-9	TUBING HANGER 11" * 3 1/2 " . 9.20 NEW VAM BOX /BOX 17- 4PH P. O/W - 00069049 JOB H-313 S.O 1156 M.	1.0	EA	A
09-24-45-098-5	41/16" lok gate valves with wheel	1.0	EA	C
09-78-95-001-4	TREE CAP LA # 5000 CWPC-H2 (COND .B)	1.0	EA	B
09-86-24-012-1	TBG Hunger Wwc-bcl11 "nom x 3.1/2 " Up TBG Top & Bottom Box New Van w/out X	1.0	EA	A
09-86-24-034-3	ADAPTER W/2 TS-EN11 API 5000PSI WP FLANGE X 3.1/8" API 5000PSI P.N:	1.0	EA	A
09-86-26-012-3	RING GASKET BX 158 P.N 15670A	1.0	EA	A
09-86-26-014-4	TBG HANGER WWC-BCL 11" NOM 5000PSI WP X 3.1/2" UP TBG TOP & BOTTOM BOX	1.0	EA	B
09-86-26-018-4	COMPANION FLANGE, WCF 2.1/16" API 5000PSI WPX2" LINE PIPE P.N:149780A	1.0	EA	B
09-86-26-062-4	TEST PLUG RETRIEVING TOOL	1.0	EA	B
09-86-26-064-3	WEAR BUSHING WWC11" NOMINAL P.N: 135002	1.0	EA	A
09-86-26-064-4	WEAR BUSHING WWC11" NOMINAL P.N: 135002	1.0	EA	B
60-83-57-301-3	RUNNING TOOL FOR BACK PRESSURE VALVE	1.0	EA	B
60-83-57-301-4	BACK PRESSURE VALVE " ONE WAY " "3 1/2 "	1.0	EA	B
96-55-10-001-9	Safety Harness Complet Set	1.0	EA	A
03-24-42-701-9	7" CASING SLIPS	1.0	EA	A
03-60-05-101-9	3 1/2"GF-NIPPLE EUE PIN * EUE BOX	1.0	EA	A
03-60-05-102-9	3 1/2 GR-NIPPLE EUE PIN * EUE BOX	1.0	EA	A
03-62-84-201-4	2 " HAMMER UNION	1.0	EA	B
03-62-84-201-9	2" HUMMER UNION	1.0	EA	A
04-54-50-101-9	X-OVER 3 1/2 EUE BOX * 4 1/2" VAM TOP PIN	1.0	EA	A
09-86-24-084-4	HYDRAULIC TEST PUMP	1.0	EA	B
09-86-26-050-3	BEAN SET CONSISTING OF 1EA 8/64" P.N:70030, 16/64" 9	1.0	EA	A
09-86-26-060-4	LUBRICATOR W/96 STROKE P.N: 134501 B	1.0	EA	B
19-23-25-619-3	AIR FILTER P/N 25619	1.0	EA	A
48-85-10-010-3	OIL FILTER P/N FS15600-41010 FOR TOYTA	1.0	EA	A
50-27-06-326-3	OIL FILTER "CAT" P/N 1106326E	1.0	EA	A
60-99-05-012-9	BARTON RECORDER CHART (BOX) DAILY 0-100.0-103 PIN, BUCK- 2012	1.0	EA	A
60-99-95-005-1	FIBER - TIP PENS "BLUE COKOR " P/N LO 121 CQ	1.0	EA	A
60-99-95-015-1	GREEN P/N LO121 CP	1.0	EA	A
60-99-95-105-9	FIBER -TIP PENS VIOLET P/N LO121CR	1.0	EA	A
76-01-00-306-9	12" X 6" WELDOLET 3000# .40	1.0	EA	A
76-04-00-602-9	8" X 6" SCRAPER TRAP 600# RT J LUNCHING	1.0	EA	A
76-04-00-604-9	8" X 6" SCRAPER TRAP 600# RT J RECIEIVING	1.0	EA	A
76-16-38-404-4	4" SEAMLESSELBOW 45* SCH 40	1.0	EA	B
76-16-39-416-4	4" SEAMLESSELBOW 90* SCH 160	1.0	EA	B

76-29-46-284-9	SEAMLESS REDUCER 2"x4" SCH 80	1.0	EA	A
76-29-46-438-4	4"*3" SEAMLESS REDUCER SCH 80	1.0	EA	B
76-30-00-404-9	3" ELBOW 45 DEG . STD	1.0	EA	A
76-30-00-410-9	6" ELBOW 45 DEG . XH	1.0	EA	A
76-30-00-906-9	3/2" ELBOW 90 DEG 3000# "THREADED"	1.0	EA	A
76-32-00-126-9	8" X 12" REDUCER STD	1.0	EA	A
76-33-00-106-9	4" TEE XXS	1.0	EA	A
76-33-00-112-9	10" TEE STD	1.0	EA	A
76-33-00-114-9	12" TEE STD	1.0	EA	A
76-33-00-804-9	1" TEE SCH 80	1.0	EA	A
76-39-00-106-9	12" CAP STD	1.0	EA	A
76-39-18-044-9	CAP 4" STD SEAMLESS BW	1.0	EA	A
76-39-28-101-9	S.S 316 MALE CONNECTOR 1/2 " NPT MALEX 1/4 " TUBE	1.0	EA	A
76-61-00-101-9	1/2" FLANGE 150#SCH.40	1.0	EA	A
76-61-00-105-9	1" FLANGE 150#SCH.80	1.0	EA	A
76-61-00-307-9	8" FLANGE 300#	1.0	EA	A
76-61-00-309-9	8" FLANGE 300# SCH.40	1.0	EA	A
76-61-00-601-9	1/2" FLANGE 300# WN RF SCH.40 ITALY	1.0	EA	A
76-61-00-617-9	6" FLANGE 600#	1.0	EA	A
76-61-00-619-9	10" FLANGE 600#	1.0	EA	A
76-62-00-112-9	1" BLIND FLANGE 150# X 1/2" NPT	1.0	EA	A
76-62-00-124-9	12" BLIND FLANGE 150#	1.0	EA	A
76-62-00-304-9	1" BLIND FLANGE 300#	1.0	EA	A
76-62-00-308-9	4" BLIND FLANGE 300#	1.0	EA	A
76-62-00-310-9	6" BLIND FALNGE 300#	1.0	EA	A
76-62-00-602-9	3/4" BLIND FLANGE 300#	1.0	EA	A
76-62-10-046-4	6 " BLIND FLANGE 150 #	1.0	EA	B
76-62-10-105-4	1 " BLIND FLANGE 150 #	1.0	EA	B
76-62-10-115-4	10" BLIND FLANGE150 #	1.0	EA	B
76-62-10-160-4	10" BLIND FLANGE 600 # W/ 3/4 " NPT FEMALE THREAD	1.0	EA	B
76-62-10-203-4	2 " BLIND FLANGE 300 #	1.0	EA	B
76-62-10-206-4	2 " BLIND FLANGE 600 #	1.0	EA	B
76-62-10-215-4	2 " BLIND FLANGE 150 #	1.0	EA	B
76-62-10-303-4	3 " BLIND FLANGE 300 #	1.0	EA	B
76-62-10-415-4	4" BLIND FLANGE150 #	1.0	EA	B
76-62-10-606-4	6" BLIND FLANGE600 #	1.0	EA	B
76-62-10-609-4	6" BLIND FLANGE900 #	1.0	EA	B
76-62-10-619-4	6" BLIND FLANGE900 # W/2" FEMALE THRED	1.0	EA	A
76-62-10-803-4	8" BLIND FLANGE300 #	1.0	EA	B
76-62-14-001-4	BLIND FLANGE 11" 10M W/B X 158 R/GRV P/N R 70082-82RGVNC S/N M305190-1 (COND.B)	1.0	EA	B
76-62-30-403-4	4" SLIP ON FLANGE 300 #	1.0	EA	B
76-62-51-115-4	1 " THREADED FLANGE 150 #	1.0	EA	B
76-62-78-130-4	1" WELD NECK FLANGE 300 # SCH 40	1.0	EA	B
76-62-78-606-4	6 " WELD NECK FLANGE 600 #	1.0	EA	B
76-62-78-815-4	8 " WELD NECK FLANGE 150 #	1.0	EA	B
77-02-00-102-9	2" CHECK VALVE WAFER	1.0	EA	A
77-02-30-046-9	CHCEK VALVE 6" 300# WAFER	1.0	EA	A
77-03-21-050-9	GATE VALVE 10" 150# 2200MM STEM	1.0	EA	A
77-03-30-048-1	GATE VALVE 8" 300# RF A216 WCB FLANGE	1.0	EA	A
77-10-00-008-1	2" check valve flanged class 150 WCB A216	1.0	EA	A
77-10-04-315-9	3" CHECK VALVE ST.ST WAFER TYPE CLASS 150 RF	1.0	EA	A
77-20-00-014-1	6"gate valve flanged class 150 WCB A216	1.0	EA	A

81-36-30-508-9	5/8"*3.5" lg. stud bolt with two nuts	1.0	EA	A
85-41-20-013-1	RING GASKET R-13	1.0	EA	A
85-41-20-057-1	RING GASKET R 57	1.0	EA	A
85-45-41-274-1	4"900# RING CASKT R37	1.0	EA	A
92-16-01-101-9	BLANKET 220 x 240 cm 7k	1.0	EA	A
09-21-80-315-4	tubing head spool 13 5/8"-3k *11"-5k with stud and nuts	1.0	EA	B
09-86-26-010-4	TBG SPOOL WWC 11" API 10000PSI WP BOTTOM FLANGE X11" API 5000PSI WP TOP	1.0	EA	B
03-60-05-026-5	VAM THREAD 3 1/2" x 2.75" BSD, p.n. 146-92435	1.0	EA	C
03-60-05-038-4	G.F. Nipple 3 1/2" x 2.75 STD MAT P.N. 146-93454	1.0	EA	B
03-60-05-040-4	R NIPPLE 3 1/2" X 2.75	1.0	EA	B
03-60-05-044-9	EX P. JOINT TYPE "V" SIZE 3 1/2 EUE BOX X.PIN	1.0	EA	A
03-60-05-048-4	5" SEAL BORE EXT.	1.0	EA	B
03-60-06-101-5	3 1/2" f-nipple (fox)	1.0	EA	C
03-76-75-305-1	3 1/2" WIRE LINE ENTRY GUIDE P/N 1110/24	1.0	EA	A
03-51-23-271-8	6" M.T TYPE: 2RSEG S/N K02271	1.0	EA	D
03-51-23-322-8	6" M.T TYPE: RT2G S/N D158322	1.0	EA	D
03-51-39-126-8	8 1/2"TCL.TYPE:R20ADH S/N D163126	1.0	EA	D
64-25-02-001-9	3 1/2" COUPLING 9.2" N80 BEVELED END	1.0	EA	A
33-39-01-128-3	COOLING FAN S/N 3GZF303128-3 FOR MOTOR MODEL: M2JA280SMB 2EEZDIIBT4B3	1.0	EA	A
03-60-02-101-5	x-over 3 1/2 eve box * 3 1/2 fox pin	1.0	EA	C
03-60-02-102-5	x-over 3 1/2"fox box* 3 1/2"jf bear pin	1.0	EA	C
03-60-02-103-4	x-over 3 1/2 " jf bear box * 3 1/2 eue pin	1.0	EA	B
04-56-22-101-9	X-OVER(41/2" PH6 BOX X 41/2 PH6 BOX	1.0	EA	A
04-56-50-799-5	41/2" vamtop r nipple size 3.688 s.n 277479901	1.0	EA	C
04-56-50-928-5	4 1/2" vamtop rn nipple size 3.688 w/no go 3.456 s.n 2770923-01	1.0	EA	C
10-36-98-020-1	3 1/2" X OVER FOX - BOX X EUE BOX	1.0	EA	A
05-15-20-958-9	9 5/8" D-V-TOOL	1.0	EA	A
96-07-20-134-1	ANGUS FOAMASTER F900HU FOAM BEANGHPIPE INLET 2- 1/2" INSTMALE LIGHT ALLOY (A053110)	1.0	EA	A
96-07-20-390-1	ANGUS Z900 INDUCTOR (LA)8001900 LITERS/MINUTE INLET 2.5" INST COUPLINGS STANDARD CONSTRU	1.0	EA	A
76-32-00-114-9	6"X 12" REDUCER TEE	1.0	EA	A
09-78-50--511-9	X-MAS TREE ASSY. WOM MODEL 11"X3 1/2	1.0	SET	A
89-09-79-601-9	BIOCIDE EPRI 600 A	1.0	DR	A
89-09-79-602-9	BIOCIDE EPRI 600 B	1.0	DR	A
87-13-90-050-9	Gloves	1.0	DR	A
87-55-90-068-9	Misc.	1.0	DR	A
	Total	13277.0	Units	