1.

2.

AUTHORIZED RELEASE CERTIFICATE

DAC Form 21-18, AUTHORIZED RELEASE CERTIFICATE

3. Form Tracking Number

No :

4. Organization Name and Address

5. Work Order / Contract / Invoice Number

6. Item	7. Description	8. Part Number	9. Eligibility	10. Quantity	11. Serial/Batch Number	12. Status/Work
01.	ABC TRANSDUCERS	968-90127-1181	8731-369	1.00 EA	-	INSPECTED

13. Remarks: after check and tested found good.

14. This item has been identified above and is returned in conformity to:

Approved design data and is in a condition for safe operation

Non-approved design data specified in Block 13.

15. ☑ CASR Part 43 Maintenance Service ☐ Other regulation specified in Block 13

Except as noted above or otherwise specified in Block 13, the work identified in Block 12 and described in Block 13 was accomplished in accordance with CASR part 43 and in regard to that work, the items are approved for return to service.

16. Authorized Signature	18. Approval/Authorization No.	20. Authorized Signature	21. Approval/Certificate No.
			145/9300
17. Name (Typed or Printed)	**19. Date (dmy)**	**22. Name (Typed or Printed)**	**23. Date (dmy)**
		M. Muhamad Ishlanto. ST	18 Jul 2016

User/Installer Responsibilities

It is important to understand that the existence of this document does not automatically constitute authority to install the part or perform the work.
Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer or a person that is the airworthiness authority accepts particular responsibilities from the airworthiness authority of the country specified in Block 1.

Statements in Block 14 and 15 do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

DAC Form 21-18 Rev. 1 (10/99) * Installer must cross-check eligibility with applicable technical data

1.

2.

AUTHORIZED RELEASE CERTIFICATE

DAC Form 21-18, AIRWORTHINESS APPROVAL TAG

3. Form Tracking Number

No :

4. Organization Name and Address:

5. Work Order / Contract / Invoice Number:

6. Item	7. Description	8. Part Number	9. Eligibility	10. Quantity	11. Serial/Batch Number	12. Status/Work
01.	TOAD PROCESSOR	006-50089-2120	8737-000	1.00 EA		INSPECTED

13. Remarks: AFTER CHECK ARE TESTED FORND GOOD.

14. Certifies the item identified above were manufactured in conformity to:

Approved design data and are in a condition for safe operation

Non-approved design data specified in Block 13

15 ☑ CASR Part 43.9 Return to Service ☐ Other regulation specified in Block 13

Certification unless otherwise specified in Block 13, the work identified in Block 12 was accomplished in accordance with CASR part 43 and in respect to that work, the items are approved for return to service.

15. Authorized Signature	16. Approval Authority (Location)	21. Authorized Signature	21. Approval Certificate No.
			145/9300

17. Name (Typed or Printed)	18. Date (dmy)	22. Name (Typed or Printed)	23. Date (dmy)
		M. Muhammad Tarlanto. SI	22 Jul 2016

User/Installer Responsibilities

[illegible]

Statements in Block 14 and 15 do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the rules governing actions by the user/installer before the aircraft may be flown.

DAC Form 21-18 Rev. 1 (1988)

* Installer must cross-check eligibility with applicable technical data.

AUTHORIZED RELEASE CERTIFICATE

20					

LOWER CARTRIDGE DOES PROPER FORCE FCCDS.

			1450-083
		R. HERNANDEZ LEGANCIO, PT	24 AUG 2015

Unsatisfactory Responsibilities

AUTHORIZED RELEASE CERTIFICATE

6. Item	7. Description	8. Part Number	9. Eligibility	10. Quantity	11. Serial/Batch Number	12. Status/Work
01.	[illegible]	[illegible]	[illegible]	1.00 EA	[illegible]	[illegible]

13. Remarks: [illegible]

20. Approval/Certificate No.: [illegible]

21. Name (Typed or Printed): [illegible]

22. Date: [illegible]

User/Installer Responsibilities

[illegible]

1

2

AUTHORIZED RELEASE CERTIFICATE

DAC Form 21-18, APPROVED TAO

3. Form Tracking Number

No :

4. Organization Name and Address :

5. Work Order / Contract / Invoice Number :

6. Item	7. Description	8. Part Number	9. Eligibility	10. Quantity	11. Serial/Batch Number	12. Status/Work
01.	FLIGHT MANAGEMENT COMPUTER	1689C5-03-01	8737-300	1.00 EA		INSPECTED

13. Remarks : AFTER CHECK AND TESTED FOUND GOOD.

14. Certifies the items identified above were manufactured in conformity to:

Approved design data and are in a condition for safe operation.

Non-approved design data specified in Block 13.

15. ☑ CASR Part 43.9 Return to Service ☐ Other regulation specified in Block 13.

Certifies that unless otherwise specified in Block 13, the work identified in Block 12 and described in Block 13 was accomplished in accordance with CASR part 43 and in respect to that work, the items are approved for return to service.

16. Authorized Signature	17. Approval/Authorization No.	18. Authorized Signature	19. Approval/Certificate No.
			145/9300
20. Name (Typed or Printed)	**21. Date (dmy)**	**22. Name (Typed or Printed)**	**23. Date (dmy)**
		H. Mohamad Isriantto. ST	22 Jul 2016

User/Installer Responsibilities

It is important to understand that the issuance of this document does not automatically mean authority to install the part/component/assembly.
When the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts parts/components/assemblies from the airworthiness authority of the country specified in Block 1.

Statements in Block 14 and 15 do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

DAC Form 21-18 Rev. 1 (10/98)

* Installer must cross-check eligibility with applicable technical data.

1.

2.

AUTHORIZED RELEASE CERTIFICATE

DAC Form 21-18, AERMAN/DENGEN APPROVAL TAG

3. Form Tracking Number:

No :

4. Organization Name and Address:

5. Work Order / Contract / Invoice Number:

6. Item	7. Description	8. Part Number	9. Eligibility	10. Quantity	11. Serial/Batch Number	12. Status/Work
01.	Air Conditioning Accessory	[illegible]	3737-100	1.00 EA		INSPECTED

13. Remarks: AFTER CHECK AND TESTED PERD 2005.

14. Certifies the items identified above were manufactured in conformity to:

Approved design data and are in a condition for safe operation

Non-approved design data specified in Block 13

15. ☑ CASR Part 43.9 Return to Service ☐ Other regulation specified in Block 13

Certifies that unless otherwise specified in Block 13, the work identified in Block 12 and described in Block 13 was accomplished in accordance with CASR part 43 and in respect to that work, the items are approved for return to service.

16. Authorized Signature	16. Approval Authorization No.	20. Authorized Signature	21. Approval Certificate No.
			145/9300

17. Name (Typed or Printed)	18. Date (d/m/y)	22. Name (Typed or Printed)	23. Date (d/m/y)
		M. Muhamad Lariento, ST	22 Jul 2016

User/Installer Responsibilities

It is important to remember that the contents of this document are not automatically acceptable authority to install the part/assembly/component.
When the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts parts/components/assemblies from the airworthiness authority of the country specified in Block 1.

Statements in Block 14 and 15 are not conclusive installation certification. In all cases, aircraft maintenance records must contain an installation certificate issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

DAC Form 21-18 Rev. 1 (10/95)

* Installer must cross-check eligibility with applicable technical data

1

2

AUTHORIZED RELEASE CERTIFICATE

DAC Form 21-08 AUTHORIZED RELEASE CERTIFICATE

3. Form Tracking Number

No.:

4. Organization Name and Address:

5. Work Order / Contract / Invoice Number:

6. Item	7. Description	8. Part Number	9. Eligibility	10. Quantity	11. Serial/Batch Number	12. Status/Work
01.	BOX INSPECTION PANEL	913E213-2	B737-300	1.00 EA		INSPECTED

13. Remarks: AFTER CHECK INSPECTION PANEL GOOD.

14. Therefore the items identified above were manufactured in conformity to:

Approved design data and are in a condition for safe operation

Non-approved design data specified in Block 15

15. Authorized Signature

16. Approval/Authorization No.

17. Name (Typed or Printed)

18. Date (dmy)

19. ☑ CASR Part 43 Return to Service ☐ Other regulation specified in Block 12

Certifies that unless otherwise specified in Block 13, the work identified in Block 12 and described in Block 13 was accomplished in accordance with CASR part 43 and in respect to that work, the items are approved for return to service.

20. Authorized Signature

21. Approval Certificate No.

145/9300

22. Name (Typed or Printed)

B. Mohamad Tarlanto. ST

23. Date (dmy)

22 Jul 2014

User/Installer Responsibilities

It is important to understand that the existence of the document does not automatically constitute authority to install for part suppliers warranty.
Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different from the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts parts/components/assemblies from the airworthiness authority of the country specified in Block 1.

Statements in Block 14 and 19 do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

DAC Form 21-08 Rev. 1 (10/05)

* Installer must cross-check eligibility with applicable technical data.

1.

2.

AUTHORIZED RELEASE CERTIFICATE

(Dual Form 21-18, AUTHORIZED RELEASE TAG)

3. Form Tracking Number*

No :

4. Organization Name and Address:

5. Work Order / Contract / Invoice Number:

6. Item	7. Description	8. Part Number	9. Eligibility	10. Quantity	11. Serial/Batch Number	12. Status/Work
01.	COMB CTRL PANEL	64174	8157-339	1.00 EA		DEFECTIVE

13. Remarks: AFTER CHECK AND TESTED FROM GOOD.

14. Certified the items identified above were manufactured in conformity to:

Approved design data and are in a condition for safe operation.

Now approved repair data specified in Block 13.

15. ☑ CASR Part 43.9 Return to Service ☐ Other regulation specified in Block 13

Certified that unless otherwise specified in Block 13, the work identified in Block 12 and described in Block 13 was accomplished in accordance with CASR part 43 and in respect to the work, the items are approved for return to service.

16. Authorized Signature:

17. Approval/Authorization No.:

18. Date (dmy):

19. Name (Typed or Printed):

20. Authorized Signature:

21. Approval/Certificate No.: 145/9300

22. Name (Typed or Printed): H. Muhamad Ishlanto, AT

23. Date (dmy): 24 Jun 2016

User/Installer Responsibilities

It is agreed and understood that the owner of the item(s) described on this form is responsible for ensuring that the work performed by the maintenance organization identified in Block 1 complies with the applicable airworthiness authority requirements of the country specified in Block 1. It is also agreed that the user/installer ensures that his/her airworthiness authority accepts performance verification from the airworthiness authority of the country specified in Block 1.

Statements in Block 14 and 15 do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

DAC Form 21-18 Rev. 1 (10/00) * Installer must cross-check eligibility with applicable technical data

1

2

AUTHORIZED RELEASE CERTIFICATE

DAC Form 21-18, AIRWORTHINESS APPROVAL TAG

3. Form Tracking Number

No

4. Organization Name and Address

5. Work Order / Contract / Invoice Number

6. Item	7. Description	8. Part Number	9. Eligibility	10. Quantity	11. Serial/Batch Number	12. Status/Work
01.	BRAKE DETECTION/ SUPPRESSION [illegible]		B737-300	1.00 EA		INSPECTED

13. Remarks: after check and tested found good.

14. Certifies the items identified above were manufactured in conformity to:

Approved design data and are in a condition for safe operation.

Non-approved design data specified in Block 13.

15. Authorized Signature

16. Approval/Authorization No.

17. Name (Typed or Printed)

18. Date (dmy)

19. ☑ CASR Part 43 Return to Service. ☐ Other regulation specified in Block 13.

Certifies that unless otherwise specified in Block 13, the work identified in Block 12 and described in Block 13 was accomplished in accordance with CASR part 43 and in respect to that work, the items are approved for return to service.

20. Authorized Signature

21. Approval/Certificate No.

145/9300

22. Name (Typed or Printed)

R. Muhamad Ikrianto, ST

23. Date (dmy)

21 Jul 2016

User/Installer Responsibilities

It is important to understand that the existence of this document does not automatically constitute authority to install the part/component concerned.
Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different from the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts parts/components/assemblies from the airworthiness authority of the country specified in Block 1.

Statements in Block 14 and 19 do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

DAC Form 21-18 Rev. 1 (10/99)

* Installer must cross-check eligibility with applicable technical data.