## Safety Data Sheet

## Section 1: Identification

| GHS Product Identifier                           | FDA Hand Sanitizer   |
|--|--|
| Product Name<br>Product Type<br>Product Code     | FDA LEVEL 1 Hand Sanitizer GEL<br>Finished Product- Consumer (Retail) Use Only   |
| Details of the supplier of the safety data sheet |  |
| Manufacturer CMC:                                | Continental Manufacturing Chemist, Inc.<br>1501 Blue Sky Blvd<br>Huxley, Iowa 50124<br><u>www.cmchemist.com</u><br>1-515-795-2000 Contact: Bruce A. Gartin   |
| <b>Emergency telephone number</b><br>Chemtrec    | 1-800-424-9300   |
| Recommended use of the chemical and restric      | tions on use   |
| Recommended use                                  | Hand Sanitizer GEL   |
| Restrictions on use                              | This is a personal care or cosmetic product that is<br>safe for consumers and other users under normal<br>and reasonably foreseeable use. Cosmetics and<br>consumer products, specifically defined by<br>regulations around the world, are exempt from<br>the requirement of an SDS for the consumer.<br>While this material is not considered hazardous,<br>this SDS contains valuable information critical to<br>the safe handling and proper use of the product<br>for industrial workplace conditions as well as<br>unusual and unintended exposures such as large<br>spills. This SDS should be retained and available<br>for employees and other users of this product. For<br>specific intended-use guidance, please refer to the |

information provided on the package or

instruction sheet.

#### Section 2: Hazard Identification


#### **GHS Classification**

Flammable liquids

Eye Irritation

#### **GHS** label elements

Hazard pictograms



Signal Word: Warning

**Precautionary Statements:** 

#### **Prevention:**

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed. P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

Category 3

Category 2A

P243 Take precautionary measures against static discharge. P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ eye protection/ face protection.

#### **Response:**

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do, continue rinsing. P337 + P313 If eye irritation persists: Get medical advice/ attention.

#### Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

**Disposal:** P501 Dispose of contents/ container to an approved waste disposal plant.

Other HazardsThis is a personal care or cosmetic product that is safe for<br/>consumers and other users under normal and reasonably<br/>foreseeable use.

None known

| Section 3: Composition/Information on Ingredients |                     |           |          |  |
|---|---------------------|-----------|----------|--|
| Chemical Name                                     | Identifiers – CAS # | %(weight) | Comments |  |
|   |                     |           |          |  |
| DI Water  | CAS NO 7732-18-5    | 29.025    |          |  |
| Glycerol  | CAS NO 56-81-5      | 3.0%      |          |  |
| Carbomer  | Mixture             | 0.1900%   |          |  |
| sda 40b 190                                       | CAS NO 64-17-5      | 67.3%     | Mixture  |  |
| Isopropyl Myristate                               | CAS NO 110-27-0     | 0.2200%   |          |  |
| Triethanolamine                                   | CAS NO 102-71-6     | 0.1600%   |          |  |

#### Section 4: First-Aid Measures

**General advice**: In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical Health Hazard

# If inhaled:

If inhaled remove to fresh air. Get medical attention

if symptoms occur

Wash with water and soap as a precaution. Get

In case of skin contact: medical attention if symptoms occur.

## Section 5: Fire-Fighting Measures

| Suitable extinguishing media:                   | Water corey  |
|---|--|
| Suitable extinguishing media.                   | Water spray  |
|   | Alcohol-resistant foam   |
|   | Dry chemical   |
|   | Carbon dioxide (CO2) water jet Specific  |
|   |  |
| Unsuitable extinguishing media                  | High Volume water jet  |
| Specific hazards during firefighting:           | Do not use a solid water stream as it may scatter and spread fire.   |
|   | Flash back possible over considerable distance.  |
|   | Vapors may form explosive mixtures with air  |
| Hazardous combustion products:                  | Carbon oxides  |
|   | Silicon oxides   |
| Specific extinguishing methods:                 | Use extinguishing measures that are appropriate to<br>local circumstances and the surrounding environment.<br>Use water spray to cool unopened containers. |
|   | Remove undamaged containers from fire area if it is safe to do so.   |
|   | Evacuate area.   |
| Special protective equipment for fire-fighters: | In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.  |
| Section 6: Accidental Release Measures          |  |
| Personal precautions                            | Remove all sources of ignition   |

| Section 6: Accidental Release Measures |  |
|--|--|
| Personal precautions                   | Remove all sources of ignition                       |
| Protective equipment and               |  |
| emergency procedures                   | Use personal protective equipment.                   |
|  | Follow safe handling advice and PPE recommendations. |
| Environmental precautions:             | Discharge into the environment must be avoided.      |

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages cannot be contained.

Methods, materials for containment, cleaning up:

Non-sparking tools should be used.

Soak up with inert absorbent material.

Suppress (knock down) gases/vapors/mists with a water spray jet.

For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.

Clean up remaining materials from spill with suitable a absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

#### Section 7: Handling and Storage

| Technical measures:      | See Engineering measures under EXPOSURE  |
|--------------------------|--|
|                          | CONTROLS/PERSONAL PROTECTION section.  |
| Local/Total ventilation: | Use with local exhaust ventilation. Use only in an area equipped with explosion proof exhaust ventilation. |
| Advice on safe handling: | Do not breathe vapors or spray mist.   |
|                          | Do not swallow.  |
|                          | Do not get in eyes.  |

|                              | Avoid prolonged or repeated contact with skin.   |
|------------------------------|--|
|                              | Handle in accordance with good industrial hygiene and safety practice.   |
|                              | Non-sparking tools should be used. Keep container tightly closed.  |
|                              | Keep away from heat and sources of ignition.   |
|                              | Take precautionary measures against static discharges.   |
|                              | Take care to prevent spills, waste and minimize release to the environment.  |
| Conditions for safe storage: | Keep in properly labeled containers. Keep tightly closed.  |
|                              | Keep in a cool, well-ventilated place. Store in<br>accordance with the particular national regulations.<br>Keep away from heat and sources of ignition.  |
|                              |  |
| Materials to avoid           | Do not store with the following product types:   |
| Materials to avoid           | Do not store with the following product types:<br>Strong oxidizing agents  |
| Materials to avoid           |  |
| Materials to avoid           | Strong oxidizing agents  |
| Materials to avoid           | Strong oxidizing agents<br>Organic peroxides   |
| Materials to avoid           | Strong oxidizing agents<br>Organic peroxides<br>Flammable solids   |
| Materials to avoid           | Strong oxidizing agents<br>Organic peroxides<br>Flammable solids<br>Pyrophoric liquids   |
| Materials to avoid           | Strong oxidizing agents<br>Organic peroxides<br>Flammable solids<br>Pyrophoric liquids<br>Pyrophoric solids  |
| Materials to avoid           | Strong oxidizing agents<br>Organic peroxides<br>Flammable solids<br>Pyrophoric liquids<br>Pyrophoric solids<br>Self-heating substances and mixtures<br>Substances and mixtures which in contact with water                         |
| Materials to avoid           | Strong oxidizing agents<br>Organic peroxides<br>Flammable solids<br>Pyrophoric liquids<br>Pyrophoric solids<br>Self-heating substances and mixtures<br>Substances and mixtures which in contact with water<br>emit flammable gases |

## Section 8: Exposure Controls/Personal Protection

| Ingredients | Cas No  | Value Type | Control<br>parameters/<br>Permissible<br>concentration | Basis     |
|-------------|---------|------------|--|-----------|
| Ethanol     | 64-17-5 | TWA        | 1,000 ppm<br>1,900mg/m3                                | NIOSH REL |

## Ingredients with workplace control parameters

| Engineering measures          | Minimize workplace exposure concentrations<br>Use only in an area equipped with<br>explosionproof exhaust ventilation<br>Use with local exhaust  |
|-------------------------------|--|
| Personal protective equipment |  |
| Respiratory protection:       | General and local exhaust ventilation is recommended<br>to maintain vapor exposures below recommended<br>limits. Where concentrations are above recommended<br>limits or are unknown, appropriate respiratory<br>protection should be worn.  |
|                               | Follow OSHA respirator regulations (29 CFR 1910.134)<br>and use NIOSH/MSHA approved respirators. Protection<br>provided by air purifying respirators against exposure to<br>any hazardous chemical is limited. Use a positive<br>pressure air supplied respirator if there is any potential<br>for uncontrolled release, exposure levels are unknown,<br>or any other circumstance where air purifying<br>respirators may not provide adequate protection. |
| Hand protection               |  |
| Material:                     | Impervious gloves  |
| Material:                     | Flame retardant gloves   |
| Remarks:                      | Choose gloves to protect hands against chemicals<br>depending on the concentration specific to place of<br>work. Breakthrough time is not determined for the<br>product. Change gloves often! For special applications,  |

|                           | we recommend clarifying the resistance to chemicals of<br>the aforementioned protective gloves with the glove<br>manufacturer. Wash hands before breaks and at the<br>end of workday.   |
|---------------------------|---|
| Eye protection:           | Wear the following personal protective equipment:<br>Safety goggles   |
| Skin and body protection: | Select appropriate protective clothing based on<br>chemical resistance data and an assessment of the local<br>exposure potential. Wear the following personal<br>protective equipment: Flame retardant antistatic<br>protective clothing. Skin contact must be avoided by<br>using impervious protective clothing (gloves, aprons,<br>boots, etc.). |
| Hygiene measures:         | Ensure that eye flushing systems and safety showers are<br>located close to the working place. When using do not<br>eat, drink or smoke. Wash contaminated clothing<br>before re-us   |

## Section 9: Physical and Chemical Properties

## 9.1 Information on Physical and Chemical Properties

## **Material Description**

| Physical Form        | Gel/Liquid         | Appearance/Description |                    |
|----------------------|--------------------|------------------------|--------------------|
| Color                | Clear              | Odor                   | Characteristic     |
|                      |                    |                        | Alcohol odor       |
| Taste                | Data Not Available | Particulate Type       | Data Not Available |
| Particulate Size     | Data Not Available | Aerosol Type           | Data Not Available |
| Odor Threshold       | Data Not Available | Physical and Chemical  | Gel                |
|                      |                    | Properties             |                    |
| General              | Data Not Available |                        | Data Not Available |
| Properties           |                    |                        |                    |
| <b>Boiling Point</b> | Data Not Available | Melting Point          | Data Not Available |
| Decomposition        | Data Not Available | Heat of Decomposition  | Data Not Available |
| Temperature          |                    |                        |                    |
| рН                   | Range              | Specific               | 0.89 g/ml          |
|                      | 7.0 - 7.5          | Gravity/Relative       |                    |
|                      |                    | Density                |                    |
| Density              | Data Not Available | Bulk Density           | Data Not Available |
| Water Solubility     | Data Not Available | Solvent Solubility     | Data Not Available |

| Viscosity         | liquid             | Explosive Properties                | Data Not Available |
|-------------------|--------------------|-------------------------------------|--------------------|
| Oxidizing         | Data Not Available |                                     | Data Not Available |
| Properties        |                    |                                     |                    |
| Volatility        | Data Not Available |                                     | Data Not Available |
| Vapor Pressure    | Data Not Available | Vapor Density                       | Data Not Available |
| Evaporation       | Data Not Available | VOC (Wt.)                           | Data Not Available |
| Rate              |                    |                                     |                    |
| VOC (Vol.)        | Data Not Available | Volatiles (Wt.)                     | Data Not Available |
| Volatiles (Vol.)  | Data Not Available |                                     |                    |
| Flammability      | Data Not Available |                                     |                    |
| Flash Point       | Data Not Available | UEL                                 | Data Not Available |
| LEL               | Data Not Available | Auto ignition                       | Data Not Available |
| Self-Accelerating | Data Not Available | Heat of Combustion                  | Data Not Available |
| Decomposition     |                    |                                     |                    |
| Temperature       |                    |                                     |                    |
| (SADT)            |                    |                                     |                    |
| Burning Time      | Data Not Available | Flame Duration                      | Data Not Available |
| Flame Height      | Data Not Available | Flame Extension                     | Data Not Available |
| Ignition Distance | Data Not Available | Flammability (solid, gas)           | Data Not Available |
| Environment       | Data Not Available |                                     |                    |
| Half-Life         | Data Not Available | Octanol/Water Partition coefficient | Data Not Available |
| Coefficient of    | Data Not Available | Bioaccumulation Factor              | Data Not Available |
| water/oil         |                    |                                     |                    |
| distribution      |                    |                                     |                    |
| Bioconcentration  | Data Not Available | Biochemical Oxygen                  | Data Not Available |
| Factor            |                    | Demand BOD/BOD5                     |                    |
| Chemical Oxygen   | Data Not Available | Persistence                         | Data Not Available |
| Demand            |                    |                                     |                    |
| Degradation       | Data Not Available |                                     |                    |

| Section 10: Stability and Reactivity  |   |
|---|---|
| Reactivity:   | Not classified as a reactivity hazard.  |
| Chemical stability:   | Stable under normal conditions  |
| Possibility of hazardous reactions:   | Flammable liquid and vapor. Vapors may form explosive mixture with air. Can react with strong oxidizing agents. |
| Conditions to avoid<br>Incompatible materials<br>Hazardous decomposition products | Heat, flames and sparks.<br>Oxidizing agents<br>No hazardous decomposition products are<br>known.               |

#### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes

Inhalation

Skin Contact

Ingestion

Eye Contact

#### **Acute Toxicity**

Not classified based on available information

#### Product

Acute oral toxicity

#### Ingredients:

Ethanol:

Acute oral toxicity

Acute inhalation toxicity

Acute toxicity estimate: > 5,000 mg/kg Method: Calculation menthol

LD50 (Rat): > 5,000 mg/kg LC50 (Rat): 124.7 mg/l Exposure time: 4 h Test atmosphere: vapor

#### Skin corrosion/irritation

Not classified based on available information.

## Serious eye damage/eye irritation

Causes serious eye irritation.

| Ingredients: |                                     |
|--------------|-------------------------------------|
| Species:     | Rabbit                              |
| Result       | Irritation to eyes reversed 21 days |
| Method       | OECD Test Guideline 405             |

## Respiratory or skin sensitization

Skin sensitization: Not classified based on available information. Respiratory sensitization: Not classified based on available information.

| Product:                                      | Product does not cause skin sensitization  |
|---|--|
| Ingredients:                                  |  |
| Ethanol:                                      |  |
| Test Type:                                    | Local lymph node assay (LLNA)  |
| Routes of exposure:                           | Skin contact   |
| Species: Mouse Result:                        | negative   |
|   |  |
| Germ cell mutagenicity                        | Not classified based on available information  |
| Ingredients:                                  |  |
| Ethanol:                                      |  |
| Genotoxicity in vitro                         | Test Type: In vitro mammalian cell gene<br>mutation test Result: negative  |
| Genotoxicity in vivo                          | Test Type: Rodent dominant lethal test (germ<br>cell) (in vivo) Species: Mouse<br>Application Route: Ingestion Result:<br>negative |
| Carcinogenicity                               |  |
| Not classified based on available information |  |

### **Reproductive toxicity**

Not classified based on available information

#### Ingredients:

Ethanol

Effects on fertility

Test Type: Two-generation reproduction toxicity

study Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 416 Result: negative

STOT-single exposure Not classified based on available information

#### **Repeated dose toxicity**

Ethanol

: Ethanol: Species:

Rat NOAEL: 2,400 mg/kg

Application Route: Ingestion

Exposure time: 2 y

## Aspiration toxicity

Not classified based on available information.

## **SECTION 12. Ecological Information**

| Ingredients:                |   |
|-----------------------------|---|
| Ethanol:                    |   |
| Toxicity to fish            | LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l |
|                             | Exposure time: 96 h                                       |
| Toxicity to daphnia and     |   |
| other aquatic invertebrates | EC50 (Daphnia magna (Water flea)): > 1,000 mg/l E         |
|                             | Exposure time: 48 h                                       |
| Toxicity to algae           | EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l   |
|                             | Exposure time: 72 h Method: OECD Test Guideline 201       |

| Toxicity to daphnia and other            | NOEC (Daphnia magna (Water flea)): 9.6 mg/l |
|--|---|
| aquatic invertebrates (Chronic toxicity) | Exposure time: 9 d                          |
| Persistence and degradability            |   |
| Ethanol:                                 |   |
| Biodegradability                         | Result: Readily biodegradable.              |
|  | Biodegradation: 84 %                        |
|  | Exposure time: 20 d                         |

### **SECTION 13. Disposal Considerations**

Disposal methods Waste from residues: Contaminated packaging: Dispose of in accordance with local regulations.

Dispose of as unused product.

## **SECTION 14 Transportation Information**

| Domestic regulation 49 CFR   |
|--|
| UN/ID/NA number: UN 1170   |
| Proper shipping name: Ethanol or Ethyl Alcohol or Ethanol Solutions or Ethyl Alcohol Solutions |
| Class: 3   |
| Packing group: III   |
| Freight Class: 85  |
| NMFC – 44500-3   |
| Label: 3   |
| FLAMMABLE LIQUID   |
| ERG Code: 127  |
| Marine Pollutant No  |

#### **International Regulation**

#### UNRTDG

UN number: UN 1170

Proper shipping name: Ethanol or Ethyl Alcohol or Ethanol Solutions or Ethyl Alcohol Solutions

Class: 3

Packing group: III

Label: 3

#### IATA-DGR

UN/ID No.: UN 1170

Proper shipping name: Ethanol or Ethyl Alcohol or Ethanol Solutions or Ethyl Alcohol Solutions

Class: 3

Packing group: III

Label: 3

Flammable Liquids

Packing instruction (cargo aircraft): 366

Packing instruction (passenger aircraft): 355

#### IMDG-Code

UN number: UN 1170

Proper shipping name: Ethanol or Ethyl Alcohol or Ethanol Solutions or Ethyl Alcohol Solutions

Class: 3

Packing group: III

Label: 3

Ems Code: F-E, S-D

#### **SECTION 15. Regulatory Information**

#### **EPCRA - Emergency Planning and Community Right-to-Know**

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

| SARA 311/312 Hazards       | Fire Hazard       |   |
|----------------------------|-------------------|---|
|                            | Acute Health Haza | rd  |
| SARA 302:                  |                   | is material are subject to the reporting<br>ARA Title III, Section 302. |
| SARA 313                   | 0                 | ponents are subject to reporting levels<br>A Title III, Section 313:    |
| US State Regulations       |                   |   |
| Pennsylvania Right to Know | Ethanol 75-79%    | 64-17-5   |
| New Jersey Right to Know   | Ethanol 75-79%    | 64-17-5   |

#### **California Prop 65**

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

#### Inventories

The ingredients of this product are reported in the following inventories:

AICS: All ingredients listed or exempt

#### **SECTION 16 Other Information**


## Last Revision Date 05/08/2020

## Preparation Date 05/08/2020

#### **Disclaimer/Statement of Liability**

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstance of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for Injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be direct to the manufacturer of the product as described in Section 1

#### Further information



#### HMIS III:

| HEALTH          | 2 |
|-----------------|---|
| FLAMMABILITY    | 3 |
| PHYSICAL HAZARD | 0 |

0 = not significant, 1 =Slight, 2 = Moderate, 3 = High 4 = Extreme, \* = Chronic

#### Full text of other abbreviations

| ACGIH  | :   | USA. ACGIH Threshold Limit Values (TLV)  |
|--|-----|--|
| ACGIH BEI  | -   | ACGIH - Biological Exposure Indices (BEI)  |
| NIOSH REL  | :   | USA. NIOSH Recommended Exposure Limits   |
| OSHA Z-1   | :   | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-<br>its for Air Contaminants  |
| ACGIH / TWA  | 2   | 8-hour, time-weighted average  |
| ACGIH / STEL   | :   | Short-term exposure limit  |
| NIOSH REL / TWA  | :   | Time-weighted average concentration for up to a 10-hour<br>workday during a 40-hour workweek   |
| NIOSH REL / ST   | 823 | STEL - 15-minute TWA exposure that should not be exceeded<br>at any time during a workday  |
| OSHA Z-1 / TWA   | :   | 8-hour time weighted average   |
| Sources of key data used to<br>compile the Material Safety<br>Data Sheet |     | Internal technical data, data from raw material SDSs, OECD<br>eChem Portal search results and European Chemicals Agen-<br>cy, http://echa.europa.eu/ |